AUTHOR INDEX, VOLUME 9

Abe, M., Murakami, Y., and Fujita, H.: Sedimentation analysis of 1,4-*cis*-polybutadiene in a theta solvent, diethyl ketone at 10.3°C., 2549
Abu-Isa, I.: see Haly, A. R.
Addy, W. D.: see Marans, N. S.
Aggebrandt, L., and Samuelson, O.: Penetration of water-soluble solutes into cellulose films, 639
Aklonis, J. J.: see Mercier, J. P.
Alter, H.: Filler particle size and mechanical properties of polymers, 1525
——, and Kaufman, J. E.: Measurement of plastisol gelation and solution by infrared spectroscopy, 3863
Altgelt, K. H.: Fractionation of asphaltenes by gel permeation chromatography, 3389
Ananthanarayanan, V. S., and Santappa, M.: Kinetics of vinyl polymerization initiated by ceric ion in aqueous solution, 2437
Anton, A.: Determination of hydroperoxides in ultraviolet-irradiated nylon 66, 1631
Aoki, S.: see Otsu, T.
Arai, K.: see Negishi, M.
Araki, Y.: First-order and second-order transitions of polytetrafluoroethylene in the temperature range of 80–140°C. measured by several methods, 3575
——: Second-order transitions of polytetrafluoroethylene at about −30°C. measured by several methods, 3585
——: Stress relaxation of polytetrafluoroethylene in the vicinity of its glass transition temperature at about 130°C., 1515
——: Thermal expansion coefficient of polytetrafluoroethylene in the vicinity of its glass transition at about 400°K., 421
Arends, C. B.: Phenomenology of impact resistance and impact testing, 3531
Arnheim, W.: see Galperin, I.
Arthur, J. C., Jr., and Mares, T.: Intramolecular transfer of high energy in cellulose, 2581
Ashe, W.: see Damusis, A.
Avny, Y., Yom-Tov, B., and Zilkha, A.: Anionic graft polymerization of acrylonitrile and methacrylonitrile on cellulose acetate, 3737
——, and Zilkha, A.: Preparation of a permselective membrane based on cellulose, 3503
Bagley, E. B.: see Schreiber, H. P.
Banerjee, D.: see Bhaumik, M. L.
Barclay, R., Jr.: see Matzner, M.
Barker, R. E., Jr.: Comments on dielectric relaxation in solutions and moisture sorption in cellulose acetate, 1197
Barrall, E. M., II, Porter, R. S., and Johnson, J. F.: Characterization of block and random ethylene–propylene copolymers by differential thermal analysis, 3061
Barsh, M. K.: see Kesting, R. E.
——: see Vincent, A. L.
Bartlett, J. S.: see Kinsinger, J. B.
Bartulovich, J. J.: see Menefee, E.
Beaman, R. G.: Correlation and prediction of polyamide glass transitions, 3949
Beck, H. N., and Ledbetter, H. D.: DTA study of heterogeneous nucleation of crystallization in polypropylene, 2131
Becker, H.: Elastic modulus of mylar sheet, 911
Beevers, R. B.: Effect of spinning bath liquids on the properties of acrylic fibers, 1499
Bell, C. L. M.: Oxidative stress relaxation of natural rubber vulcanizates at high strains, 3101
——, and Tiller, R.: Oxidative stress relaxation of blends of *cis*-1,4-polybutadiene and natural rubber, 3091
Bender, B. W.: Dispersion of microgel in impact polystyrene, 2887
Benerito, R. R.: see McKelvey, J. B.
——: see Ziifle, H. M.
Bentz, A. P., and Roth, R. W.: Statistical analysis applied to film development: Grafted PVA-based water-soluble film, 1095
Berardinelli, F. M., Dolce, T. J., and Walling, C.: Degradation and stabilization of polyacetal copolymers, 1419
Beredjick, N.: Monolayers of linear poly(vinyl benzoate) and its mixtures with stearic acid, 439
Berg, F. R.: see Sandler, S. R.
Berni, R. J.: see McKelvey, J. B.
——: see Ziifle, H. M.
Betrabet, S. M., Munshi, V. G., Daruwalla, E. H., and Jacob, C. J.: Birefringence, density, and tensile characteristics of oxycelluloses, 1437
Bevilacqua, E. M., and Wenisch, W. J.: Aging of SBR, 267
Bhaumik, M. L., Banerjee, D., and Sircar, A. K.: Studies in hard rubber reaction. Part II. Effect of organic accelerators, 1367
——: Studies in hard rubber reaction. Part III. Effect of metallic oxides and metallic oxide–accelerator combinations, 1731
——: Studies in hard rubber reaction. Part IV. Effect of fillers, 2285
Bianchi, U.: see Pedemonte, E.
Biesenberger, J. A., and Tadmor, Z.: Molecular weight distributions in continuous linear addition polymerizations, 3409

Black, R. G.: see Mendelsohn, M. A.
Blizzard, E. M., and Jirka, R. J.: Appendix: An outline of the least-squares technique used in matching time–temperature curves with linear thermal conductivities, 816
Blumberg, M., Boss, C. R., and Chien, J. C. W.: Effect of volatilization of stabilizers and oxidation products on polypropylene lifetimes, 3837
Bobalek, E. G.: see Lee, C. C.
Boden, G. F.: see Moore, W. R.
Boenig, H. V., Miller, C. B., and Shottafer, J. E.: Tack in urethane elastomers, 523
Bondi, A.: A simple relation to estimate the maximum tensile modulus of drawn polymer fibers, 3897
Bonotto, S.: Mechanical properties of crosslinked polyethylene and crosslinked ethylene–ethyl acrylate copolymers, 3819
Boonstra, B. B.: see Cotten, G. R.
Bosch, W.: see Mayhan, K. G.
Boss, C. R.: see Blumberg, M.
Bowers, G. H.: see Lovejoy, E. R.
Bree, H. W.: see Van Der Wal, C. W.
Brennan, J. J., and Jermyn, T. E.: Correlation of vulcanizate properties with polymer–black interaction, 2749
Bristow, G. M.: Estimation of chain scission during vulcanization. Part III. Temperature effects in the peroxide vulcanization of natural rubber, 3255
——: Relation between stress–strain behavior and equilibrium volume swelling for peroxide vulcanizates of natural rubber and *cis*-1,4-polyisoprene, 1571
——, and Westall, B.: Viscosity–molecular weight relationship for masticated natural rubber, 495
Bro, M. I.: see Lovejoy, E. R.
Brooks, R. L., and Lawrence, A. R.: Polymer–diluent interactions of some nitrocellulose–nitrate ester systems, 707
Broutman, L. J., and McGarry, F. J.: Fracture surface work measurements on glassy polymers by a cleavage technique. I. Effects of temperature, 589
——: Fracture surface work measurements on glassy polymers by a cleavage technique. II. Effects of crosslinking and preorientation, 609
Burks, R. E., Jr., Lacey, R. E., Lacey, J. C., Jr., and Ray, T. W.: Conversion of hexaphenylcyclotrisilazane and related materials to infusible polymers and coatings, 2811
Burleigh, J. E.: see Uraneck, C. A.
Byrd, J. D.: see Curry, J. E.
Calderon, J.: see Goldfein, S.
Caldwell, J. R.: see Perry, K. P.
Calhoun, R. J., Jr.: see Wisnewski, A. M.
Cameron, G. G.: The osmotic behavior of thermally degraded polystyrene, 4025
Carazzolo, G.: see Credali, L.
Carnell, P. H.: Preparation of thin polymer films, 1863
Carroll, B., and Manche, E. P.: Kinetic parameters from temperature-programmed reactions: The pyrolysis of polytetrafluoroethylene, 1895
——, and Quigley, T. J.: Measurement of the optical activity of highly scattering solutions, 1905
Chakravarty, S., Chatterjee, P. K., and Sircar, A. K.: Sulfur group analysis in unaccelerated vulcanization of natural rubber, 1395
Chatterjee, P. K.: see Chakravarty, S.
Chen, L. W., and Kumanotani, J.: Chemical and physical behavior of phenolic resins in air-dried films of phenolic varnishes, 2785
——: Effect of method of synthesis of unsaturated fatty acid-modified alkyd resin on the crosslinking behavior of prepolymer: Correlation of molecular weight distribution of prepolymer and degree of crosslinking of the derived film, 3649
——: Physical properties of oxidative polymerized films prepared from polymerized oils, alkyd resins, and phenolic varnishes: Transition by dynamic-mechanical method and line-width measurement (NMR), 3519
Chien, J. C. W.: see Blumberg, M.
Chiklis, C. K.: see Valko, E. I.
Chock, D. P., Chock, E. P., and Miller, G. H.: Oxidation of styrene popcorn polymer, 1253
Chock, E. P.: see Chock, D. P.
Christell, R.: see Sjostrom, E.
Christensen, G. N.: see Hergt, H. F. A.
Christensen, R. G.: see Horowitz, E.
Cole, T. B.: see Sheehan, W. C.
Colombo, P., Fontana, J., Kukacka, L. E., and Steinberg, M.: Characterization studies for polyethylene formed by Co^{60} γ-radiation under constant conditions in a nonflow system, 3123
Combs, R. L.: see Guillet, J. E.
Conley, R. T.: Oxidative degradation of phenol–formaldehyde polycondensation initial degradation reactions, 1117
——: Oxidative degradation of polybenzyl, 1107
——: see also Lochte, H. W.
——, and Valint, P. L.: Oxidative degradation of poly(ethyl acrylate), 785
Conrad, C. M.: see Creely, J. J.
Coover, H. W., Jr.: see Guillet, J. E.
Cornell, J., Howarth, J. T., Olson, L. R., Winters, A. J., and Ellis, S. J.: Curing ethylene–propylene rubber terpolymers with dimethacrylate monomers. II. Effect of unsaturation, 1579
Cottam, B. J.: Effect of molecular weight distribution on melt flow properties of low-pressure polyethylene, 1853
Cotten, G. R., and Boonstra, B. B.: Stress relaxation in rubbers containing reinforced fillers, 3395
Cotter, R. J.: see Matzner, M.
Cousins, E. R.: see Rowland, S. P.
Cox, J. M., Wright, B. A., and Wright, W. W.: Thermal degradation of poly(phenylene oxides), 513

Credali, L., Mortillaro, L., Galiazzo, G., Del Fanti, N., and Carazzolo, G.: The water–formaldehyde–hydrogen sulfide system. I. Solubility of hydrogen sulfide in aqueous solutions of formaldehyde and first solid product of the system, 2895
Creely, J. J., Harbrink, P., and Conrad, C. M.: Thermoplasticity of acetylated cotton yarn as influenced by degree of substitution, temperature, and other factors, 1533
Crescentini, L., Gechele, G. B., and Zanella, A.: Butadiene/styrene/2-methyl-5-vinylpyridine terpolymer. Composition–conversion data in comparison with calculated values, 1323
Cuddihy, E., Moacanin, J., and Rembaum, A.: Some unusual properties of graft copolymers and polyblends of β-vinylnaphthalene and ethylene oxide, 1385
Cuniberti, C.: see Pedemonte, E.
Curchod, J., and Ve, T.: Fractionation and determination of molecular characteristics of elastomers. I. Neoprene W, 3541
Curry, J. E., and Byrd, J. D.: Silane polymers of diols, 295
Damusis, A., Ashe, W., and Frisch, K. C.: Relationships between chemical structure and properties of polyether urethane sealants, 2965
Dannenberg, E. M.: see Williams, F. R.
Daruwalla, E. H.: see Betrabet, S. M.
Das, S.: see Roy, S. C.
Dasare, B. D., and Krishnaswamy, N.: Furfural-based ion-exchange resins. Part I. Preparation and properties of a cation exchanger from furfural–styrene reaction product, 2655
Degeiso, R. C., Donaruma, L. G., and Tomic, E. A.: Preparation and chelating properties of 8-hydroxyquinoline–formaldehyde polymers, 411
Dekking, H. G. G.: Propagation of vinyl polymers on clay surfaces. I. Preparation, structure, and decomposition of clay initiators, 1641
Del Fanti, N.: see Credali, L.
Dermody, W. J.: see Meltzer, T. H.
Devenuto, G.: see Wiley, R. H.
Devine, F. E.: Reservoir effects in the extrusion rheometry of compounded rubbers, 369
Dieckmann, S. F.: see Grant, D. E.
Dolce, T. J.: see Berardinelli, F. M.
Dole, M.: see Haly, A. R.
Donaruma, L. G.: see Degeiso, R. C.
Dudek, T. J., and Lohr, J. J.: Glass transition temperatures of poly(methyl methacrylate) plasticized with low concentrations of monomer and diethyl phthalate, 3795
Dunbrant, S., and Samuelson, O.: Determination of primary and secondary xanthate groups in cellulose xanthate, 2489
Dux, J. P.: see Phifer, L. H.
Dyckes, G. W.: see Seeley, R. D.
Dyer, E., and Pinkerton, R. B.: Kinetics of the tin-catalyzed reactions of phenyl isocyanate with ureas, 1713
Edwards, G. D.: Estimation of molecular weights of epichlorohydrin–bisphenol A polymers by gel permeation chromatography, 3845
Ellinger, L. P.: Effect of impurities on the polymerization of vinylcarbazole by azobisisobutyronitrile, 3939
Ellis, S. J.: see Cornell, J.
Farrow, G.: Measurement of the smectic content in undrawn polypropylene filaments, 1227
Feist, W. C.: see Kirshenbaum, I.
Feit, B.-A., Mirelman, D., Katz, Y., and Zilkha, A.: Anionic heterogeneous polymerization of acrylonitrile by butyllithium. II. Effect of Lewis bases on the molecular weight, 2475
——, Mirelman, D., and Zilkha, A.: Anionic heterogeneous polymerization of acrylonitrile by butyllithium. I., 2459
——, Raucher, D., and Zilkha, A.: Acetylenic polyesters, 2379
Fenner, T. W.: see Vail, S. L.
Ferguson, J., and Wright, B.: The effects of small doses of radiation on the flow and other properties of Ziegler polyethylenes, 2763
Fertig, J., Goldberg, A. I., and Skoultchi, M.: Ultraviolet stabilizing monomers and polymers. I. Synthesis and polymerization of phenyl 5-methacryloxymethylsalicylate, 903
Fontana, J.: see Colombo, P.
Ford, R. W.: Physical properties of some ethylene polymers, 2879
Forsman, J. P.: Effect of mounting technique on the laboratory weathering of polypropylene monofilaments, 2511
Fox, R. B.: see Isaacs, L. G.
Frankel, M., Gertner, D., Wagner, D., and Zilkha, A.: Organotin polyesters, 3383
Freudenthal, A. M.: see Shinozuka, M.
Frick, J. G., Jr., Kullman, R. M. H., and Reinhardt, R. M.: Modification of crosslinking effects in cotton fabrics by swelling and methylation, 2311
Friedman, H. L.: Products of flash pyrolysis of phenol–formaldehyde by time-of-flight mass spectroscopy, 651
——: Pyrolysis of plastics in a high vacuum arc image furnace. II., 1005
Frisch, K. C.: see Damusis, A.
——: see Rand, L.
Fujioka, S.: see Machi, S.
Fujita, H.: see Abe, M.
——: see Homma, T.
Galiano, F. R.: see Mantell, G. J.
Galiazzo, G.: see Credali, L.
Galperin, I., Arnheim, W., and Kwei, T. W.: Effect of humidity on the tensile properties of filled and unfilled epoxy polymer, 3215
Gamble, L. W., Wipke, W. T., and Lane, T.: Rapid method for the determination of molecular weight distribution in high polymers: A thermal gradient-turbidity technique, 1503

Gardner, J. B., and Harper, B. G.: Grafting of chelating monomers to styrene–butadiene latexes, 715
——: Radiation protection of polyethylene, 1585
Gardner, J. D.: see Seifert, W. K.
Gechele, G. B.: see Crescentini, L.
——, and Martinis, G. F.: Suspension polymerization of caprolactam, 2939
Geoghegan, J. T., and Roth, R. W.: Catalytic effects of 1,1,3,3-tetramethylguanidine for isocyanate reactions, 1089
Georgieff, K. K.: Relative inhibitory effect of various compounds on the rate of polymerization of methyl methacrylate, 2009
Gertner, D.: see Frankel, M.
Gesner, B. D.: Environmental surface effects on ABS resins, 3701
Gillham, J. K., and Petropoulos, J. C.: Polyhexaallylmelamine and related polymers, 2189
Goldberg, A. I.: see Fertig, J.
Goldfein, S., and Calderon, J.: Apparatus for determining thermal conductivity of insulation materials, 2985
Goodwin, F. L.: see Rosenbaum, S.
Goring, D. A. I.: see Wadehra, I. L.
Gorton, B. S.: Adhesive properties of polyisophthalamides, 3753
Gotoda, M.: see Machi, S.
Graham, R. K.: see Kinsinger, J. B.
Grant, D. E., and Dieckmann, S. F.: Some melt flow properties of polypropylene, 3231
Grassie, N., and Weir, N. A.: The photooxidation of polymers. I. Experimental methods, 963
——: The photooxidation of polymers. II. Photolysis of polystyrene, 975
——: The photooxidation of polymers. III. Photooxidation of polystyrene, 987
——: The photooxidation of polymers. IV. A note on the coloration of polystyrene, 999
Gringras, H.: see Haran, E. N.
Griskey, R. G.: see Kispert, R. C.
Grotz, L. C.: Diffusion of dioctyl phthalate into poly(vinyl chloride), 207
Gruver, J. T.: see Kraus, G.
Guillet, J. E., Combs, R. L., Slonaker, D. F., Weemes, D. A., and Coover, H. W., Jr.: Effects of molecular weight distribution and branching on rheological parameters of polyethylene melts. Part I. Unfractionated polymers, 757
——: Effects of molecular weight distribution and branching on rheological parameters of polyethylene melts. Part II. Fractions and blends, 767
Gupta, M. K.: see Wellisch, E.
Guyot, A., Roux, P., and Tho, P. Q.: Sur la dégradation thermique du polychlorure de vinyle. IV. Influence de la régularité structurale des polymères sur leur stabilité thermique sous atmosphere inerte, 1823
Hagiwara, M.: see Machi, S.
Haglund, P.: see Sjostrom, E.
Haly, A. R., Abu-Isa, I., and Dole, M.: Specific heat of wool in the temperature range −50 to 100°C., 893
Hamamoto, A. S.: see Miles, D. O.
Handy, R. M.: see Scala, L. C.
Haran, E. N., Gringras, H., and Katz, D.: Dielectric properties of an epoxy resin during polymerization, 3505
Harbrink, P.: see Creely, J. J.
Harper, B. G.: see Gardner, J. B.
Harrap, B. S., Rosman, R. E., and Solomon, D. H.: Polymers suitable for increasing the viscosity of formic acid: Application to the printing of wool with reactive dyes, 535
Harwood, J. A. C., Mullins, L., and Payne, A. R.: Stress softening in natural rubber vulcanizates. Part II. Stress softening effects in pure gum and filler loaded rubbers, 3011
Hattori, H.: see Takagi, Y.
Heffelfinger, C. J., and Schmidt, P. G.: Structure and properties of oriented poly(ethylene terephthalate) films, 2661
Helin, A. F.: see Stryker, H. K.
——, Stryker, H. K., and Mantell, G. J.: Emulsion polymerization of ethylene. I. Polymerization formulas and conditions, 1797
Hergt, H. F. A., and Christensen, G. N.: Variable retention of water by dry wood, 2345
Hermann, T. S.: FMIR infrared spectroscopy of coatings on fibers and metal plates, 3953
Hermans, J., Jr.: Investigation of the elastic properties of the particle network in gelled solutions of hydrocolloids. II. Cellulose microcrystals, 1973
Hickam, W. M.: see Scala, L. C.
Holden, G.: Viscosity of polyisoprene, 2911
Homma, T., and Fujita, H.: Further sedimentation analysis of styrene–butadiene copolymer rubber, 1701
Horino, T., Ogawa, Y., Soen, T., and Kawai, H.: Tensile stress relaxation behavior of a mechanical mixture of two polymer components, 2261
Horowitz, E., Tryon, M., Christensen, R. G., and Perros, T. P.: Thermogravimetric study of some new transition metal–Schiff base coordination polymers, 2321
Howarth, J. T.: see Cornell, J.
Hsu, K.-L., Kline, D. E., and Tomlinson, J. N.: Thermal conductivity of polytetrafluoroethylene, 3567
Huglin, M. B.: Specific refractive index increments of polymer solutions. Part I. Literature values, 3963
——: Specific refractive index increments of polymer solutions. Part II. Scope and applications, 4003
Igarashi, N.: see Osawa, Z.
Iino, H.: see Minoura, Y.
Iizuka, Y.: see Negishi, M.
Imoto, M.: see Otsu, T.

Indusekhar, V. K., and Krishnaswamy, N.: Diffusion effect during electrodialysis with ion-exchange membranes, 2631
Isaacs, L. G., and Fox, R. B.: Photolytic degradation of some poly(alkylene polysulfides), 3489
Isaacson, R. B.: see Kirshenbaum, I.
——, Kirshenbaum, I., and Klein, I.: Properties of semicrystalline polyolefins. II. Copolymers of 3-methyl-1-pentene and 4-methyl-1-pentene, 933
Jackson, W. J., Jr.: see Perry, K. P.
Jacob, C. J.: see Betrabet, S. M.
James, W. J.: see Mayhan, K. G.
Jankovics, L.: Effect of agitation and molecular weight on polymer adsorption and deflocculation, 545
Jankowski, B., and Kroh, J.: Crosslinking of *cis*-polybutadiene by Co^{60} γ-rays, 1363
Jassie, L. B.: see Kelleher, P. G.
Jawitz, M. W.: see Pobiner, H.
Jeanes, A., Knutson, C. A., Pittsley, J. E., and Watson, P. R.: Extracellular polysaccharide produced from glucose by arthrobacter viscosus NRRL B-1973: Chemical and physical characterization, 627
Jermyn, T. E.: see Brennan, J. J.
Jirka, R. J.: see Blizzard, E. M.
Johnson, J. F.: see Barrall, E. M., II.
Johnston, P. R.: Poly(oxatetramethylene) glycol. I. Influence of water on polymerization catalysis, 461
——: Poly(oxatetramethylene) glycol. II. Molecular weight distribution, 467
Johnston, P. R.: see Nersasian, A.
Jordan, M. E.: see Williams, F. R.
Joshi, K. M.: see Suryanarayana, N. P.
Judd, N. C. W.: Investigation on the polymerization of an unsaturated polyester system by a resistivity technique, 1743
Juliano, B. O.: see Lugay, J. C.
Kaelble, D. H.: Dynamic and tensile properties of epoxy resins, 1213
——: Spin casting of polymer films, 1209
——: Theory of rotational dynamic measurement of plastics, 1201
Kagiya, T.: see Machi, S.
Kakinuma, T.: see Negishi, M.
Kakishita, T.: see Koshimo, A.
Kamath, P. M., and Wakefield, R. W.: Crystallinity of ethylene–vinyl acetate copolymers, 3153
Kaplan, E. B.: see Stivala, S. S.
Katz, D.: see Haran, E. N.
——: see Steg, I.
Katz, Y.: see Feit, B.-A.
Kaufman, J. E.: see Alter, H.
Kawai, H.: see Horino, T.
Kelleher, P. G., and Jassie, L. B.: Investigation of thermal oxidation and photooxidation of acetal plastics by infrared spectroscopy, 2501
Kelso, R. L.: see Kinsinger, J. B.
Keskkula, H.: see Turley, S. G.
——, and Schmitt, J. A.: Retraction of injection-molded polypropylene, 2681
Kesting, R. E.: Semipermeable membranes of cellulose acetate for desalination in the process of reverse osmosis. I. Lyotropic swelling of secondary cellulose acetate, 663
——: see also Vincent, A. L.
——, Barsh, M. K., and Vincent, A. L.: Semipermeable membranes of cellulose acetate desalination in the process of reverse osmosis. II. Parameters affecting membrane gel structure, 1873
Khanna, S. K., and Pollett, W. F. O.: Rheological breakdown in the continuous shearing of plasticized poly(vinyl chloride), 1767
Kinsinger, J. B., Panchak, J. R., Kelso, R. L., Barlett, J. S., and Graham, R. K.: Methyl α-cyanoacrylate. II. Copolymerization studies, 429
Kirshenbaum, I.: see Isaacson, R. B.
——, Feist, W. C., and Isaacson, R. B.: Properties of semicrystalline polyolefins. IV. Crystallization phenomena in poly-3-methyl-1-butene, 3023
Kispert, R. C., and Griskey, R. G.: Interfacial polycondensation of nylon 610 in continuous cascade systems, 2337
Kitamura, R., Urata, M., and Takeuchi, T.: Copolymerization of vinyl chloride with *trans*-1,2-dichloroethylene, 1669
Kitazawa, G.: see Sandler, S. R.
Klein, I.: see Isaacson, R. B.
Kline, D. E.: see Hsu, K.-L.
Knollman, G. C.: see Miles, D. O.
Knutson, C. A.: see Jeanes, A.
Koenig, J. L., and Van Roggen, A.: Integrated infrared band intensity measurement of stereoregularity in polypropylene, 359
Kondo, M.: see Otsu, T.
Koshimo, A.: Steam and heat setting of nylon 6 fiber. VII. Infrared spectra of nylon 6 prepared from N-deuterated ϵ-caprolactam and the water accessibility of nylon 6 in steam setting, 55
——: Steam and heat setting of nylon 6 fiber. VIII. Viscoelastic and thermal behavior of heat-set or γ-irradiated nylon 6 fiber, 69
——: Steam and heat setting of nylon 6 fiber. IX. Changes in infrared spectra with deuteration of heat-set nylon 6, 81
——: see also Tsuruta, M.
——, and Kakishita, T.: Steam and heat setting of nylon 6 fiber. X. Effect of heat setting on diffusion of dyestuff into nylon 6 fiber, 91
——, and Tagawa, T.: Investigation of the fine structure of high polymers by the method of deuterium exchange. I. Changes in lateral-order distribution of nylon 6 by heat setting, 117
——, and Tagawa, T.: Relation between physical structure and dyeability of nylon 6 fibers. II. Relation of dyeability to various processing factors in bulky yarn production, 139

——, and Tagawa, T.: Steam and heat setting of nylon 6 fiber. VI. Water adsorption on nylon 6 fiber, 45
Kotliar, A. M.: see Poller, D.
Kraus, G., and Gruver, J. T.: Rheological properties of *cis*-polybutadiene, 739
Krishnaswamy, N.: see Dasare, B. D.
——: see Indusekhar, V. K.
Kroh, J.: see Jankowski, B.
Krupnik, A. A.: see Sherr, A. E.
Kubát, J., and Lindbergson, B.: Damping transients in polymers during sorption and desorption, 2651
Kukacka, L. E.: see Colombo, P.
Kulkarni, A. Y., and Mehta, P. C.: Ceric ion induced redox polymerization of acrylonitrile in presence of cellulose, 2633
Kullman, R. M. H.: see Frick, J. G., Jr.
Kumanotani, J.: see Chen, L. W.
Kumar, A.: Kinetics of thermal polymerization of shellac. Part III. Reaction mechanism of gelation, 3263
——, and Misra, G. S.: Kinetics of thermal polymerization of shellac. Part IV. Evolution of water during curing, 3273
Kurkjy, R. P.: see Matzner, M.
Kuryla, W. C.: Dipolar solvents in polyurethane foams, 1019
Kwei, T. W.: see Galperin, I.
Lacey, J. C., Jr.: see Burks, R. E., Jr.
Lacey, R. E.: see Burks, R. E., Jr.
Ladacki, M.: Effects of aging on some anionic initiators, 1561
Lake, G. J., and Lindley, P. B.: The mechanical fatigue limit for rubber, 1233
——: Role of ozone in dynamic cut growth of rubber, 2031
Lakshminarayanaiah, N.: Preparation and characterization of thin parlodion membranes, 1285
——, and Shanes, A. M.: Electrochemical properties of thin parlodion membranes, 689
Lal, J., McGrath, J. E., and Scott, K. W.: Dynamic mechanical properties of poly(vinyl alkyl ethers), 3471
Lancaster, J. M., Wright, B. A., and Wright, W. W.: Thermal degradation of polymers with aromatic rings in the chain, 1955
Lane, T.: see Gamble, L. W.
Lawrence, A. R.: see Brooks, R. L.
Ledbetter, H. D.: see Beck, H. N.
Lee, C. C., Rovatti, W., Skinner, S. M., and Bobalek, E. G.: Effects of mixing variables and talc fillers on tensile and impact fatigue properties of some thermoplastic blends of poly(vinyl chloride) with acrylonitrile–butadiene copolymer rubber, 2047
Lee, H. T.: see Reich, L.
Lee, L.-H.: Mechanisms of thermal degradation of phenolic condensation polymers. III. Cleavage of phenolic segments during the thermal degradation of uncured epoxy resins, 1981
Lee, S. M.: Polymers of acetylenic nitriles, 1431
Levi, D. W.: see Reich, L.
Levine, S. N.: Inverse piezoelectric effect in polymers, 3351
Lindbergson, B.: see Kubát, J.
Lindenmeyer, P. H., and Lustig, S.: Crystallite orientation in extruded polyethylene film, 227
Lindley, P. B.: see Lake, G. J.
Litt, M.: see Mercier, J. P.
Lochte, H. W., Strauss, E. L., and Conley, R. T.: The thermo-oxidative degradation of phenol–formaldehyde polycondensates: thermogravimetric and elemental composition studies of char formation, 2799
Lohr, J. J.: see Dudek, T. J.
Lonsdale, H. K., Merten, U., and Riley, R. L.: Transport properties of cellulose acetate osmotic membranes, 1341
Lo[illegible]joy, E. R., Bro, M. I., and Bowers, G. [illegible].: Chemistry of radiation crosslinking of branched fluorocarbon resins, 401
Lugay, J. C., and Juliano, B. O.: Crystallinity of rice starch and its fractions in relation to gelatinization and pasting characteristics, 3777
Lustig, S.: see Lindenmeyer, P. H.
Machi, S., Tamura, T., Fujioka, S., Hagiwara, M., Gotoda, M., and Kagiya, T.: Physical properties and structure of the polyethylene produced by γ-radiation polymerization, 2537
Manaka, K., and Tomioka, T.: Improvement of adhesive properties of plastics by radiation graft polymerization, 3635
Manche, E. P.: see Carroll, B.
Mantell, G. J.: see Helin, A. F.
——: see Stryker, H. K.
——, Rankin, D., and Galiano, F. R.: Synthesis and crosslinking of a new series of acrylate polymers containing a *m*-dioxane ring, 3625
Marans, N. S., and Addy, W. D.: Film lamination by radiation-induced graft polymerization of acrylic acid, 3661
——, and Wessells, F. A.: Examination of variables in the radiation-induced solid-state polymerization of trioxane, 3681
Mares, T.: see Arthur, J. C., Jr.
Marker, L.: see Wellisch, E.
Martinis, G. F.: see Gechele, G. B.
Matzner, M., and Barclay, R., Jr.: Condensation polymers by an anhydrous catalytic solution process, 3321
——, and Merriam, C. N.: Condensation polymers derived from *N,N'*-dialkyl- and *N,N'*-diarylarylenediamines, 3337
Matzner, M., Kurkjy, R. P., and Cotter, R. J.: Synthesis of aromatic polycarbonates by an anhydrous catalytic solution process. I. The phosgene–phenol interaction, 3295
——: Synthesis of aromatic polycarbonates by an anhydrous catalytic solution process. II. The chloroformate–chloroformate interaction, 3309
Mayhan, K. G., James, W. J., and Bosch, W.: Poly(ethylene terephthalate). I. Study of crystallization kinetics, 3605

——: Poly(ethylene terephthalate). II. Electron microscopic studies, 3617
Mayrick, R. G., and Sieglaff, C. L.: Extrusion characteristics of poly(vinyl chloride), 3917
McGarry, F. J.: see Broutman, L. J.
McGrath, J. E.: see Lal, J.
McKelvey, J. B., Benerito, R. R., and Berni, R. J.: Cellulose-*d,l*-butadiene diepoxide reactions catalyzed by Lewis acids, 191
——: Use of dihalohydrin precursors of butadiene diepoxide in the chemical modification of cotton cellulose, 181
McKinney, P. V.: Calculation of number-average and weight-average molecular weight of poly(vinyl chloride) polymers from intrinsic viscosity measurements, 583
——: Equivalence of cyclohexanone and tetrahydrofuran as solvents for poly-(vinyl chloride), 2319
——: Processing of poly(vinyl chloride) polymers correlated with composition, glass transition, and viscosity, 3359
Meares, P.: Transient permeation of organic vapors through polymer membranes, 917
Mehta, P. C.: see Kulkarni, A. Y.
Meltzer, T. H., Dermody, W. J., and Tobolsky, A. V.: Fraction of effective sulfur crosslinking in polybutadiene rubber vulcanizates, 3041
Mendelsohn, M. A., Black, R. G., Runk, R. H., and Minter, H. F.: Dependence of physical properties on composition in a series of high load-bearing polyurethane foams, 2715
Menefee, E.: Crosslinking in keratins. II. Theory for sulfur disproportionation after chain scission and crosslink cleavage, 2829
——, and Bartulovich, J. J.: Crosslinking in keratins. I. Theory for solubility on simultaneous chain scission and crosslink cleavage, 2819
——, and Yee, G.: Crosslinking in keratins. III. Acid hydrolysis of keratins, 2835
——, and Yee, G.: Crosslinking in keratins. IV. Thermal cleavage of crosslinks, 2847
Mercier, J. P., Aklonis, J. J., Litt, M., and Tobolsky, A. V.: Viscoelastic behavior of the polycarbonate of bisphenol A, 447
Merriam, C. N.: see Matzner, M.
Merten, U.: see Lonsdale, H. K.
Miles, D. O., Knollman, G. C., Hamamoto, A. S., and Norstrom, G. C.: Mechanical shear relaxation spectroscopy in experimental viscoelasticity, 2209
Miles, J. K., and Newell, D. M.: Effects of γ-irradiation on the loss properties of dielectrics in vacuum, 483
Miller, C. B.: see Boenig, H. V.
Miller, G. H.: see Chock, D. P.
Minoura, Y., Iino, H., and Tsukasa, M.: Studies on blend polymers. Mixing of *cis*- and *trans*-1,4-polybutadiene, 1299
Minter, H. F.: see Mendelsohn, M. A.
Mirelman, D.: see Feit, B.-A.
Misra, G. S.: see Kumar, A.
Mitcham, D.: see Rowland, S. P.
Moacanin, J.: see Cuddihy, E.
Moore, W. R., and Boden, G. F.: Heptane-soluble material from atactic polypropylene. I. Fractionation and characterization of fractions, 2019
Mortillaro, L.: see Credali, L.
Mullins, L.: see Harwood, J. A. C.
——, and Tobin, N. R.: Stress softening in rubber vulcanizates. Part I. Use of a strain amplification factor to describe the elastic behavior of filler-reinforced vulcanized rubber, 2993
Munshi, V. G.: see Betrabet, S. M.
Murakami, Y.: see Abe, M.
Nagakura, I.: see Negishi, M.
Nagler, R. G.: Transient techniques for determining the thermal conductivity of homogeneous polymeric materials at elevated temperatures, 801
Nakajima, N., and Wong, P. S. L.: Characterization of polypropylene according to steady-state flow behavior, 3141
Nakamura, Y.: see Negishi, M.
Narkis, M.: see Ram, A.
Neal, J. L.: Factors affecting the solution properties of cellulose acetate, 947
Negishi, M., Arai, K., Okada, S., and Nagakura, I.: New method for graft polymerization of vinyl monomers in wool fibers, 3465
——, Nakamura, Y., and Kakinuma, T.: Concerted effects of grafting and crosslinking in cotton fabrics, 3721
——, Nakamura, Y., Kakinuma, T., and Iizuka, Y.: Grafting of acrylate monomers in cotton fabrics, 2227
Nersasian, A., and Johnson, P. R.: Infrared spectra of alkanesulfonic acids, chlorosulfonated polyethylene, and their derivatives, 1653
Newell, D. M.: see Miles, J. K.
Newland, G. C.: see Tamblyn, J. W.
——, and Tamblyn, J. W.: Metal organic stabilizers and antistabilizers for polyolefin plastics, 1947
Newman, S., and Strella, S.: Stress–strain behavior of rubber-reinforced glassy polymers, 2297
——, and Trementozzi, Q. A.: Barus effect in filled polymer melts, 3071
Norstrom, G. C.: see Miles, D. O.
Ogawa, Y.: see Horino, T.
Okada, S.: see Negishi, M.
Olson, L. R.: see Cornell, J.
Osawa, Z., and Igarashi, N.: Polymerization of methyl methacrylate under ultrasonic irradiation, 3171
O'Shaughnessy, M. T.: see Phifer, L. H.
O'Toole, J. T.: Kinetics of emulsion polymerization, 1291
Otsu, T., Kondo, M., Aoki, S., and Imoto, M.: Graft copolymers consisted of polyether and phenol–formaldehyde resin: A curable polyether resin, 1991

Overdiep, W. S., and Van Krevelen, D. W.: Studies of non-Newtonian flow. I. Criterion of flow instability, 2779
Panchak, J. R.: see Kinsinger, J. B.
Pascale, J. V., and Rentzepis, P. M.: Response of polyethylene to acid etching, 2641
Patella, L. J.: see Roth, R. W.
Payne, A. R.: Dynamic properties of natural rubber containing heat-treated carbon blacks, 3245
——: Effect of dispersion on the dynamic properties of filler-loaded rubbers, 2273
——: A note on the conductivity and modulus of carbon black-loaded rubbers, 1073
——: see also Harwood, J. A. C.
Pedemonte, E., Cuniberti, C., Rossi, C., and Bianchi, U.: Radiation effects on polystyrene in solution, 385
Pellon, J., and Valan, K. J.: Radiation-induced block or graft copolymers of methyl methacrylate with isobutylene and ethylene–propylene rubbers, 2955
Percival, D. F.: see Seifert, W. K.
Perros, T. P.: see Horowitz, E.
Perry, K. P., Jackson, W. J., Jr., and Caldwell, J. R.: Elastomers based on polycyclic bisphenol polycarbonates, 3451
Petropoulos, J. C.: see Gillham, J. K.
Phifer, L. H.: Use of thin films in ultraviolet studies of cellulose xanthate, 1041
——, Dux, J. P., Ticknor, L. B., and O'Shaughnessy, M. T.: Mechanism for the aqueous acid decomposition of the formaldehyde derivatives of cellulose xanthate, 1067
——, and Ticknor, L. B.: Reaction of formaldehyde with cellulose xanthate, 1055
Picklesimer, L. G.: see Sheehan, W. C.
Pinkerton, R. B.: see Dyer, E.
Pittsley, J. E.: see Jeanes, A.
Pobiner, H., and Jawitz, M. W.: Hydrolytic degradation of polymeric insulation materials as measured by infrared absorption spectroscopy, 1193
Poddubnyĭ, I. Ya., and Rabinerzon, M. A.: Regulation of molecular weight distribution in the polymerization of butadiene–styrene and butadiene–nitrile rubbers, 2527
Poller, D., and Kotliar, A. M.: Effects of degradation on polypropylene melt rheology, 501
Pollett, W. F. O.: see Khanna, S. K.
Porter, R. S.: see Barrall, E. M., II.
Potts, J. C.: Some observations on the sorption of moisture by elastomeric solid propellant binders, 1841
Quigley, T. J.: see Carroll, B.
Rabek, J. F.: Photodegradation of *cis*-1,4-polyisoprene sensitized by the addition of chloronitroso compounds, 2121
Rabinerzon, M. A.: see Poddubnyĭ, I. Ya.
Ram, A., and Narkis, M.: Simplified correlations for linear polyethylene, 3225
Rand, L., Thir, B., Reegen, S. L., and Frisch, K. C.: Kinetics of alcohol–isocyanate reactions with metal catalysts, 1787
Rand, P. B.: see Seeley, R. D.
Rankin, D.: see Mantell, G. J.
Raucher, D.: see Feit, B.-A.
Ray, T. W.: see Burks, R. E., Jr.
Reegen, S. L.: Peel strength of polyurethanes from oxypropylene polyols. I. Effect of polyol structure and fillers, 279
——: see also Rand, L.
Refojo, M. F.: Glyceryl methacrylate hydrogels, 3161
——: Permeation of water through some hydrogels, 3417
——, and Yasuda, H.: Hydrogels from 2-hydroxyethyl methacrylate and propylene glycol monoacrylate, 2425
Reich, L.: Estimation of kinetic parameters from thermogravimetric traces, 3033
——: see also Stivala, S. S.
——, Lee, H. T., and Levi, D. W.: Kinetic parameters in polymer degradation by dynamic thermogravimetric analysis, 351
Reinhardt, R. M.: see Frick, J. G., Jr.
——: see Vail, S. L.
Rembaum, A.: see Cuddihy, E.
Rentzepis, P. M.: see Pascale, J. V.
Riemen, W. P.: see Venkateswaran, A.
Riley, R. L.: see Lonsdale, H. K.
Robins, J.: Structural effects in metal ion catalysis of isocyanate–hydroxyl reactions, 821
Rochow, T. G.: Microscopic domains in some synthetic polymers, 569
Rodriguez, F.: see Rosen, S. L.
Rosen, S. L., and Rodriguez, F.: Elastic effects in a linear-gel polymer system, 1615
——: Flow properties of a linear-gel polymer system, 1601
Rosenbaum, S.: Polyacrylonitrile fiber behavior. I. Mechanisms of tensile response, 2071
——: Polyacrylonitrile fiber behavior. II. Dependence on structure and environment, 2085
——, and Goodwin, F. L.: Concentration dependence in dye diffusion, 333
Rosman, R. E.: see Harrap, B. S.
Ross, S. E.: Some observations concerning the behavior of polypropylene polymers and fibers, 2729
Rosser, M. J.: see Solomon, D. H.
Rossi, C.: see Pedemonte, E.
Roth, R. W.: see Bentz, A. P.
——: see Geoghegan, J. T.
——, Patella, L. J., and Williams, B. L.: Cold water-soluble films from cyanoethylated polyvinyl alcohol, 1083
Roux, P.: see Guyot, A.
Rovatti, W.: see Lee, C. C.
Roy, S. C., and Das, S.: Small-angle x-ray scattering of cellulose. I. Shape and extent of scattering in some vegetable fibers, 3427

Rowland, S. P., Cousins, E. R., and Mitcham, D.: Variations in crosslink organization in formaldehyde-modified cotton celluloses, 3869
Roy, S. C., and Das, S.: Small-angle x-ray scattering of cellulose. II. Intensity of scattering in some fibers and films, 3439
Rubens, L. C.: Polymerization rates of monochlorostyrenes, 1473
——, and Skochdopole, R. E.: Continuous measurement of polymerization rates over the entire conversion range with a recording dilatometer, 1487
Rudin, A.: see Schreiber, H. P.
Runk, R. H.: see Mendelsohn, M. A.
Rust, T. F.: see White, R. H.
Samuelson, O.: see Aggebrandt, L.
——: see Dunbrant, S.
Sandler, S. R., and Berg, F. R.: Effect of polarity of bisphenol A epoxy resins on adhesion at cryogenic and elevated temperatures, 3707
——: Polyurethanes as cryogenic adhesives, 3909
——, and Kitazawa, G.: Poly-2-oxazolidones, 1994
Santappa, M.: see Ananthanarayanan, V. S.
Scala, L. C., and Handy, R. M.: Structure and electrical properties of poly(vinyl benzoate) monolayers, 3111
Scala, L. C., and Hickam, W. M.: The behavior of polypyromellitimide resins at high temperatures, 245
Scanlan, J.: Swelling of vulcanized rubbers in binary solvent mixtures, 241
Schmidt, P. G.: see Heffelfinger, C. J.
Schmitt, J. A.: see Keskkula, H.
Schreiber, H. P.: Some relationships between molecular structure and flow in linear polyethylene, 2101
——, Rudin, A., and Bagley, E. B.: Separation of elastic and viscous effects in polymer melt extrusion, 887
Schwarzl, F. R.: see Van Der Wal, C. W.
Scott, K. W.: see Lal, J.
Seeley, R. D.: Network characterization of silicone rubber vulcanizates. Part I. Solvent, temperature, and specimen shape effects on effective crosslink density determinations, 3049
——: Three methods for determining the swelling of silicone rubber, 3285
——, and Dyckes, G. W.: Determination of effective crosslink density in silicone rubber, 151
——, and Rand, P. B.: Method for structural characterization of high polymeric networks by an osmotic pressure technique, 3903
Seifert, W. K., Stevens, M. P., Gardner, J. D., and Percival, D. F.: Endgroup modification of unsaturated polyesters. Effect on chemical resistance, 1681
Sen, J. K.: see Sharma, M. G.
Shanes, A. M.: see Lakshminarayanaiah, N.
Sharma, M. G., and Sen, J. K.: Nonlinear dynamic behavior of plastics, 561
Sheehan, W. C., Cole, T. B., and Picklesimer, L. G.: Properties of fibers and films of a thiazole polymer: Poly(2-tetramethylene-4-phenylenethiazole), 1455
——, and Wellman, R. E.: Relationship between molecular orientation and draw ratio of polypropylene monofilaments, 3597
Sheetz, D. P.: Formation of films by drying of latex, 3761
Sherr, A. E., and Krupnik, A. A.: Base catalysts for the cure of epoxy resins, 2707
——, and Swift, A. M.: Crosslinked polyacrylamide gel as a dehydrating agent, 3929
Shimoyama, T.: see Tsuruta, M.
Shinozuka, M., and Freudenthal, A. M.: Strain energy functions for filled elastomers, 2565
Shottafer, J. E.: see Boenig, H. V.
Shroff, R. N.: Single-point determination of intrinsic viscosity, 1547
Sieglaff, C. L.: see Mayrick, R. G.
Sircar, A. K.: see Bhaumik, M. L.
——: see Chakravarty, S.
Sjostrom, E., Haglund, P., and Christell, R.: Washing of acid from cellulose fibers in connection with the determination of carboxyl groups, 377
Skinner, S. M.: see Lee, C. C.
Skochdopole, R. E.: see Rubens, L. C.
Skoultchi, M.: see Fertig, J.
Slonaker, D. F.: see Guillet, J. E.
Smith, C. H.: Thermal characteristics of some rigid urethane foams, 3851
Smith, D. A.: see Stuart, J. M.
Smith, G. W.: Measurement of brittleness temperature of neoprene by proton magnetic resonance: Effect of plasticizers, 1553
Soen, T.: see Horino, T.
Solomon, D. H.: see Harrap, B. S.
——, and Rosser, M. J.: Reactions catalyzed by minerals. Part I. Polymerization of styrene, 1261
Spedding, H.: see Warwicker, J. O.
Spiller, L. L.: Procedures to guide experiments direct to improvement of electrostatic atomization and deposition or organic coatings, 839
Spliethoff, W. S.: see Wittbecker, E. L.
Stafford, B. B.: Application of differential thermal analysis to polyethylene blends, 729
Steg, I., and Katz, D.: Rheopexy in some polar fluids and in their concentrated solutions in slightly polar solvents, 3177
Steinberg, M.: see Colombo, P.
Stevens, M. P.: Carbonate-modified unsaturated polyesters, 799
——: see also Seifert, W. K.
Stine, C. R.: see Wittbecker, E. L.

Stivala, S. S., Kaplan, E. B., and Reich, L.: Kinetics of uncatalyzed thermal oxidation of atactic polybutene-1 by infrared spectroscopy, 3557
St. John Manley, R.: see Wadehra, I. L.
Strauss, E. L.: see Lochte, H. W.
Strella, S.: see Newman, S.
Stryker, H. K.: see Helin, A. F.
——, Helin, A. F., and Mantell, G. J.: Emulsion polymerization of ethylene. II. Effect of recipe on particle size and distribution, 1807
Stuart, J. M., and Smith, D. A.: Some aspects of the degradation of epoxide resins, 3195
Suryanarayana, N. P., and Joshi, K. M.: Studies on cation-exchange membrane. II. Sorption of electrolyte by rubber-based cation-exchange membrane from CNSL resin, 941
Suskind, S. P.: Polyurethane latex, 2451
Sweeting, O. J.: see Wellisch, E.
Swift, A. M.: see Sherr, A. E.
Tadmor, Z.: see Biesenberger, J. A.
Tagawa, T.: see Koshimo, A.
——: see Tsuruta, M.
Takagi, Y.: Studies on the drawing of polyamide fibers. VI. Effect of drawing on the dye diffusion parallel to the fiber axis, 3887
——, and Hattori, H.: Studies on the drawing of polyamide fibers. III. Change of dye-diffusion behavior into polyamide fibers with drawing, 2167
——, and Hattori, H.: Studies on the drawing of polyamide fibers. IV. Effect of drawing on the degree of longitudinal swelling, 2177
Takakura, K., Takayama, G., and Ukida, J.: Ultraviolet-induced crosslinking of poly(vinyl alcohol) in the presence of sensitizers, 3217
Takayama, G.: see Takakura, K.
Takeuchi, T.: see Kitamura, R.
Tamblyn, J. W.: see Newland, G. C.
——, and Newland, G. C.: Induction period in the aging of polypropylene, 2251
Tamura, T.: see Machi, S.
Temin, S. C.: Effect of structure on the glass temperature of polyamides, 471
Thir, B.: see Rand, L.
Tho, P. Q.: see Guyot, A.
Ticknor, L. B.: see Phifer, L. H.
Tiller, R.: see Bell, C. L.
Tobin, N. R.: see Mullins, L.
Tobolsky, A. V.: see Meltzer, T. H.
——: see Mercier, J. P.
Tokita, N.: see White, J. L.
Tomic, E. A.: Thermal stability of coordination polymers, 3745
——: see also Degeiso, R. C.
Tomioka, T.: see Manaka, K.
Tomlinson, J. N.: see Hsu, K.-L.
Toy, M. S.: Surface tension and viscosity studies of molten resins for thermoplastic recording, 1593
Trementozzi, Q. A.: see Newman, S.
Tryon, M.: see Horowitz, E.
Tsukasa, M.: see Minoura, Y.
Tsuruta, M., and Koshimo, A.: Steam and heat setting of nylon 6 fiber. I. Effect of dry heat setting and steam setting on Young's modulus and specific gravity of nylon 6 fiber, 3
——: Steam and heat setting of nylon 6 fiber. II. Effects of heat setting of nylon 6 fiber on dyeability and fine structure, 11
——: Steam and heat setting of nylon 6 fiber. V. Investigation of wide- and small-angle x-ray diffraction, 39
——, and Shimoyama, T.: Relation between physical structure and dyeability of nylon 6 fibers. I. Effect of tension and heat setting on dyeability of nylon 6 fibers, 129
——, and Tagawa, T.: Steam and heat setting of nylon 6 fiber. III. Changes in viscosity and amino and carboxyl end-groups by heat setting, 25
——, and Tagawa, T.: Steam and heat setting of nylon 6 fiber. IV. Relationship between heat setting and swelling, 31
Turley, S. G., and Keskkula, H.: Study of polypropylene annealed at a temperature near its melting point, 2693
Ukida, J.: see Takakura, K.
Uraneck, C. A., and Burleigh, J. E.: Incremental modification of styrene–butadiene rubber with *tert*-nonyl mercaptan, 1273
Urata, M.: see Kitamura, R.
Vail, S. L., Reinhardt, R. M., and Fenner, T. W.: Methylolamides containing amino acid groups: Their use as wash-wear finishing agents for cotton, 1757
Valan, K. J.: see Pellon, J.
Valint, P. L.: see Conley, R. T.
Valko, E. I., and Chiklis, C. K.: Effects of thermal exposure on the physicochemical properties of polyamides, 2855
Van Beek, L. K. H.: Dielectric behavior and resistivities of polyacrylonitrile and some pyrolyzates, 553
Vandegaer, J. E.: Latex growth, 2929
Van Den Akker, J. A.: see Venkateswaran, A.
Van Der Wal, C. W., Bree, H. W., and Schwarzl, F. R.: Mechanical properties of highly filled elastomers. II. Relationship between filler characteristics, thermal expansion, and bulk moduli, 2143
Van Krevelen, D. W.: see Overdiep, W. S.
Van Oene, H.: Limiting shear dependence of the intrinsic viscosity of deformable polymer molecules, 2607
Van Roggen, A.: see Koenig, J. L.
Ve, T.: see Curchod, J.
Venkateswaran, A.: Formulas for the dielectric constant and dissipation factor of mixtures and their application to the cellulose system, 1127
——, and Riemen, W. P.: Experiment on the effect of ethylamine treatment on the crystallinity of cellulose, 1139

——, and Van Den Akker, J. A.: Effect of ethylamine treatment on the dielectric properties and crystallinity of cellulose. I., 1149
——, and Van Den Akker, J. A.: Effect of ethylamine treatment on dielectric properties and crystallinity of cellulose. II., 1167
Vincent, A. L.: see Kesting, R. E.
——, Barsh, M. K., and Kesting, R. E.: Semipermeable membranes of cellulose acetate for desalination in the process of reverse osmosis. III. Bound water relationships, 2363
Wadehra, I. L., and St. John Manley, R.: Irreversible exchange of hydrogen in the drying of cellulose at high temperature, 3499
——: Recrystallization of amorphous cellulose, 2627
——, and Goring, D. A. I.: Permanently amorphous cellulose, 2634
Wagner, D.: see Frankel, M.
Wakefield, R. W.: see Kamath, P. M.
Walling, C.: see Berardinelli, F. M.
Warwicker, J. O., and Spedding, H.: Effect of Chemical agents on the fine structure of cellulose. Part II. The action of acetyl chloride, 1913
Watson, P. R: see Jeanes, A.
Weemes, D. A.: see Guillet, J. E.
Weir, N. A.: see Grassie, N.
Wellisch, E., Gupta, M. K., Marker, L., and Sweeting, O. J.: Fine structure of regenerated cellulose films as revealed by dye accessibility, 2591
Wellman, R. E.: see Sheehan, W. C.
Wenisch, W. J.: see Bevilacqua, E. M.
Wessells, F. A.: see Marans, N. S.
Westall, B.: see Bristow, G. M.
White, J. L., and Tokita, N.: Rheological analysis of raw elastomers with the multispeed mooney shearing disk viscometer, 1929
White, R. H., and Rust, T. F.: Cure rates of phenolic resins by differential thermal analysis, 777
Wiley, R. H., and Devenuto, G.: Irradiation stability of sulfonated styrene resins crosslinked with various divinylbenzene isomers and mixtures thereof, 2001
Williams, B. L.: see Roth, R. W.
Williams, F. R., Jordan, M. E., and Dannenberg, E. M.: Effect of the chemical and physical properties of carbon black on its performance in polyethylene, 861
Winters, A. J.: see Cornell, J.
Wipke, W. T.: see Gamble, L. W.
Wisnewski, A. M., Calhoun, Jr., R. J., and Witnauer, L. P.: Pressure chamber for use during differential thermal analyses, 3935
Witnauer, L. P.: see Wisnewski, A. M.
Wittbecker, E. L., Spliethoff, W. S., and Stine, C. R.: Polyurethane analog of the polyester, polyethylene terephthalate, 213
Wong, P. S. L.: see Nakajima, N.
Wright, B.: see Cox, J. M.
——: see Ferguson, J.
——: see Lancaster, J. M.
Wright, W. W.: see Cox, J. M.
——: see Lancaster, J. M.
Yasuda, H.: see Refojo, M. F.
Yee, G.: see Menefee, E.
Yom-Tov, B.: see Avny, Y.
Zanella, A.: see Crescentini, L.
Zeronian, S. H.: Fine structure and tensile properties of decrystallized products prepared from cotton, 313
Ziifle, H. M., Berni, R. J., and Benerito, R. R.: Kinetics of the zinc fluoborate- and hydrogen ion-catalyzed hydrolyses of butadiene diepoxides, 169
Zilkha, A.: see Avny, Y.
——: see Feit, B.-A.
——: see Frankel, M.
Zwick, M. M.: Poly(vinyl alcohol)–iodine complexes, 2393

SUBJECT INDEX, VOLUME 9

ABS resins, environmental surface effects on, 3701
Accelerator–metallic oxide combinations, effect of, on hard rubber reaction, 1731
Accelerators, organic, effect on hard rubber reaction, 1367
Acetal plastics, thermal oxidation and photooxidation of, by infrared spectroscopy, 2501
Acetyl chloride, effect of, on the fine structure of cellulose, 1913
Acetylenic polyesters, 2379
Acid hydrolysis of keratins, 2835
Acrylate monomers, grafting of, in cotton fabrics, 2227
Acrylate polymers containing a *m*-dioxane ring, crosslinking of, 3625
Acrylic acid, film lamination by radiation-induced polymerization of, 3661
Acrylic fibers, effect of spinning bath liquids on the properties of, 1499
Acrylonitrile, anionic heterogeneous polymerization of, by butyllithium, 2459, 2475
  ceric ion induced redox polymerization of, in presence of cellulose, 2633
Acrylonitrile–butadiene copolymer rubber, thermoplastic blends of poly(vinyl chloride) with, 2047
Acrylonitrile and methacrylonitrile, anionic graft polymerization of, on cellulose acetate, 3737
Adhesive properties of plastics, improvement of, by radiation graft polymerization, 3635
Adhesive properties of polyisophthalamides, 3753
Adhesives, cryogenic, polyurethanes as, 3909
Adsorption, polymer, effected by agitation and molecular weight, 545
  water, effect on, of heat setting processes on nylon 6, 45
Aging, effects of, on anionic initiators, 1561
  of polypropylene, induction period in, 2251
Alcohol–isocyanate reactions, kinetics of, with metal catalysts, 1787
Alkanesulfonic acids, infrared spectra of, 1653
Alkyd resin, unsaturated fatty acid-modified, effect of method of synthesis of, on the crosslinking behavior of prepolymer, 3649
Alkyd resins, oxidative polymerized films from, 3519
Amino acid groups, methylolamides containing, 1757
Anionic heterogeneous polymerization of acrylonitrile by butyllithium, 2459, 2475
Antistabilizers, metalorganic, for polyolefin plastics, 1947
Aromatic rings, polymers with, in the chain, thermal degradation of, 1955
Arthrobacter viscosus NRRL B-1973, in preparation of extracellular polysaccharide from glucose, 627
Asphaltenes, fractionation of, by gel permeation chromatography, 3389
Atmosphère inerte, influence de la régularité structurale des polymères sur leur stabilite thermique sous, 1823
Azobisisobutyronitrile, effect of impurities on the polymerization of vinylcarbazole by, 3939
Barus effect in filled polymer melts, 3071
Base catalysts for cure of epoxy resins, 2707
Binders, elastomeric solid propellant, sorption of moisture by, 1841
Birefringence of oxycelluloses, 1437
Bisphenol A, polycarbonate of, viscoelastic behavior of, 447
Bisphenol A–epichlorohydrin polymers, estimation of molecular weights of, by gel permeation chromatography, 3845
Bisphenol A epoxy resins, effect of polarity of, on adhesion at cryogenic and elevated temperatures, 3707
Bisphenol polycarbonates, polycyclic, elastomers based on, 3451
Black–polymer interaction, correlation of vulcanizate properties with, 2749
Blend polymers, 1299
Block copolymers, radiation-induced, of methyl methacrylate with isobutylene and ethylene–propylene rubbers, 2955
Bound water relationships, 2363
Branching, effect of, on rheological parameters of polyethylene melts, 757
  effect of, on rheological parameters of polyethylene melts, 767
Brittleness temperature, of neoprene by proton magnetic resonance, 1553
Bulk moduli, filler characteristics, and thermal expansion, relationship between, 2143
Butadiene–acrylonitrile copolymer rubber, thermoplastic blends of poly(vinyl chloride) with, 2047
Butadiene diepoxide, cellulose-*d,l*-, reactions of, catalyzed by Lewis acids, 191
  hydrolyses of, 169
  precursors of, in chemical modification of cotton cellulose, 181
Butadiene–nitrile rubbers, regulation of molecular weight distribution in the polymerization of, 2527

Butadiene–styrene copolymer rubber, sedimentation analysis, 1701
Butadiene–styrene latexes, grafting of chelating monomers to, 715
Butadiene/styrene/2-methyl-5-vinylpyridine terpolymer, 1323
Butadiene–styrene rubber, incremental modification of, with *tert*-nonyl mercaptan, 1273
Butadiene–styrene rubbers, regulation of molecular weight distribution in the polymerization of, 2527
Butyllithium, anionic heterogeneous polymerization of acrylonitrile by, 2459, 2475
Caprolactam, suspension polymerization of, 2939
Carbon black, effect of the chemical and physical properties of, on its performance in polyethylene, 861
Carbon black-loaded rubbers, conductivity and modulus of, 1073
Carbon blacks, heat-treated, dynamic properties of natural rubber containing, 3245
Carboxyl groups, determination of in cellulose fibers, 377
Cascade systems, continuous, interfacial polycondensation of nylon 610 in, 2337
Catalysis, influence of water on polymerization, 461
Catalysis, metal ion, structural effects in, of isocyanate–hydroxyl reactions, 821
Catalysts, base, for cure of epoxy resins, 2707
  metal, kinetics of alcohol-isocyanate reactions with, 1787
Catalytic effects, of 1,1,3,3-tetramethylguanidine for isocyanate reactions, 1089
Cation exchanger, from furfural–styrene reaction product, 2655
Cellulose, amorphous, recrystallization of, 2627
  ceric ion induced redox polymerization of acrylonitrile in presence of, 2633
  cotton, chemical modification of, 181
  crystallinity of, effect of ethylamine treatment on, 1139
  effect of ethylamine treatment on the dielectric properties and crystallinity of, 1149, 1167
  fine structure of, effect of chemical agents on, 1913
  intramolecular transfer of high energy in, 2581
  irreversible exchange of hydrogen in the drying of, at high temperature, 3499
  permanently amorphous, 2634
  permselective membrane based on, 3503
  small-angle x-ray scattering of, 3427, 3439
Cellulose acetate, anionic graft polymerization of acrylonitrile and methacrylonitrile on, 3737
  factors affecting the solution properties of, 947
  moisture sorption in, 1197
  osmotic membranes of, transport properties of, 1341
  secondary, lyotropic swelling of, 663
  semipermeable membranes of, 663
  semipermeable membranes of, for desalination in reverse osmosis, 1873, 2363
Cellulose fibers, washing of acid from in determination of carboxyl groups, 377
Cellulose films, penetration of water-soluble solutes into, 639
  regenerated, fine structure of, by dye accessibility, 2591
Cellulose microcrystals, 1973
Celluloses, formaldehyde-modified cotton, variations in crosslink organization in, 3869
Cellulose system, application to the, of the dielectric constant and dissipation factor, 1127
Cellulose xanthate, formaldehyde derivative of, mechanism for the aqueous acid decomposition of, 1067
  primary and secondary xanthate groups in, 2489
  reaction with formaldehyde, 1055
  use of thin films in ultraviolet studies of, 1041
Ceric ion, aqueous solution of, kinetics of vinyl polymerization initiated by, 2437
Ceric ion induced redox polymerization, of acrylonitrile in presence of cellulose, 2633
Chain scission, estimation of, during vulcanization, 3255
Chain scission and crosslink cleavage, simultaneous, theory for solubility on, 2819
  sulfur disproportionation after, 2829
Characterization, structural, of high polymeric networks by an osmotic pressure technique, 3903
Characterization of fractions, 2019
Char formation, thermogravimetric and elemental composition studies of, 2799
Chelating monomers, grafting of, to styrene–butadiene latexes, 715
Chemical resistance, effect on, of end-group modification of unsaturated polyesters, 1681
Chloroformate–Chloroformate interaction, 3309
Chlorosulfonated polyethylene, infrared spectra of, 1653
Chromatography, gel permeation, fractionation of asphaltenes by, 3389
Clay initiators, preparation, structure, and decomposition of, 1641
Cleavage, thermal, of crosslinks, 2847
Cleavage of phenolic segments during the thermal degradation of uncured epoxy resins, 1981
Cleavage technique, in fracture surface work measurements on polymers, 589, 609
CNSL resin, sorption of electrolyte by rubber-based cation-exchange membrane from, 941

Condensation polymers, by an anhydrous catalytic solution process, 3321
derived from *N,N'*-dialkyl- and *N,N'*-diarylarylenediamines, 3337
phenolic, thermal degradation of, 1981
Conductivity, thermal, of insulation materials, apparatus for, 2985
thermal, of polytetrafluoroethylene, 3567
Conductivity of carbon black-loaded rubbers, 1073
Conversion range, continuous measurement of polymerization rates over, with a recording dilatometer, 1487
Coordination polymers, thermal stability of, 3745
Copolymerization of methyl α-cyanoacrylate, 429
Co^{60} γ-radiation, under constant conditions in a nonflow system, polyethylene formed by, 3123
Cotton, methylolamides containing amino acid groups used as wash-wear finishing agents for, 1757
Cotton celluloses, formaldehyde-modified, variations in crosslink organization in, 3869
Cotton fabrics, concerted effects of grafting and crosslinking in, 3721
grafting of acrylate monomers in, 2227
Cotton yarn, acetylated, thermoplasticity of, as influenced by degree of substitution and temperature, 1533
Crosslink cleavage and chain scission, simultaneous, theory for solubility on, 2819
sulfur disproportionation after, 2829
Crosslink density, effective, 3049
effective, in silicone rubber, 151
Crosslinking, of acrylate polymers containing a *m*-dioxane ring, 3625
effective sulfur, in polybutadiene rubber vulcanizates, 3041
in keratins, 2819, 2829, 2835, 2847
ultraviolet-induced, of poly(vinyl alcohol), in the presence of sensitizers, 3217
Crosslinking effects, modification of, in cotton fabrics, by swelling and methylation, 2311
Crosslinking and grafting in cotton fabrics, concerted effects of, 3721
Crosslinking of *cis*-polybutadiene by Co^{60} γ-rays, 1363
Crosslinking of prepolymer, effect of method of synthesis of unsaturated fatty acid-modified alkyd resin on, 3649
Crosslink organization, variations in, in formaldehyde-modified cotton celluloses, 3869
Crosslinks, thermal cleavage of, 2847
Cryogenic adhesives, polyurethanes as, 3909
Cryogenic and elevated temperatures, effect of polarity of bisphenol A epoxy resins on adhesion at, 3707
Crystallinity of cellulose, effect of ethylamine treatment on, 1139, 1149, 1167
Crystallinity of ethylene–vinyl acetate copolymers, 3153
Crystallinity of rice starch and its fractions in relation to gelatinization and pasting characteristics, 3775
Crystallite orientation in extruded polyethylene film, 227
Crystallization kinetics, 3605
Crystallization in poly-3-methyl-1-butene, 3023
Crystallization in polypropylene, DTA study of heterogeneous nucleation of, 2131
Cure of epoxy resins, base catalysts for, 2707
Cure rates, of phenolic resins by differential thermal analysis, 777
Curing, of ethylene–propylene rubber terpolymers with dimethacrylate monomers, 1579
evolution of water during, 3273
Cyclohexanone, and tetrahydrofuran, equivalence of, as solvents for poly(vinyl chloride), 2319
Damping transients in polymers during sorption and desorption, 2651
Decomposition, aqueous acid, of the formaldehyde derivative of cellulose xanthate, 1067
Deflocculation effected by agitation and molecular weight, 545
Degradation, effects on polypropylene melt rheology, 501
Degradation, hydrolytic, of polymeric insulation materials, 1193
Degradation, oxidative, of phenol–formaldehyde polycondensation initial degradation reactions, 1117
oxidative, of polybenzyl, 1107
of poly(ethyl acrylate), 785
photolytic, of some poly(alkylene polysulfides), 3489
Degradation, thermal, cleavage of phenolic segments during, of uncured epoxy resins, 1981
thermal, of phenolic condensation polymers, 1981
of polymers with aromatic rings in the chain, 1955
of poly(phenylene oxides), 513
thermo-oxidative, of phenol-formaldehyde polycondensates, 2799
du polychlorure de vinyle, 1823
Degradation of epoxide resins, 3195
Degradation and stabilization of polyacetal copolymers, 1419
Degree of substitution, thermoplasticity of acetylated cotton yarn as influenced by, 1533
Dehydrating agent, crosslinked polyacrylamide gel as, 3929
Density of oxycelluloses, 1437
Desalination, in reverse osmosis, 663, 1873 2363
Desorption and sorption, damping transients in polymers during, 2651

Deuteration, effect of, on infrared spectra of heat-set nylon 6, 81
N,N'-Dialkylarylenediamines, condensation polymers from, 3337
trans-1,2-Dichloroethylene, copolymerization with vinyl chloride, 1669
Dielectric behavior of polyacrylonitrile and pyrolyzates, 553
Dielectric constant, formulas for and application to the cellulose system, 1127
Dielectric properties of cellulose, effect of ethylamine treatment on, 1149, 1167
Dielectric properties of an epoxy resin during polymerization, 3505
Dielectrics, effects of γ-irradiation on the loss properties of, 483
Diethyl ketone as a theta solvent, 2549
Diethyl phthalate, glass transition temperatures of poly(methyl methacrylate) plasticized with low concentrations of monomer and diethyl phthalate, 3795
Diffusion-dye behavior, change of, into polyamide fibers with drawing, 2167
Diffusion effect during electrodialysis with ion-exchange membranes, 2631
Dilatometer, recording, continuous measurement of polymerization rates over the entire conversion range with, 1487
Dimethacrylate monomers, curing ethylene–propylene rubber terpolymers with, 1579
Dioctyl phthalate, diffusion into poly(vinyl chloride), 207
Diols, silane polymers of, 295
m-Dioxane ring, acrylate polymers containing, synthesis and crosslinking of, 3625
Dispersion, effect of, on the dynamic properties of filler-loaded rubbers, 2273
Disproportionation, sulfur, after chain scission and crosslink cleavage, 2829
Dissipation factor, formulas for and application to the cellulose system, 1127
Drawing, effect of, on the degree of longitudinal swelling, 2177
  effect of, on the dye diffusion parallel to the fiber axis, 3887
Drawing of polyamide fibers, 2177, 3887
Draw ratio and molecular orientation, of polypropylene monofilaments, relationship between, 3597
Drying, of cellulose at high temperature, irreversible exchange of hydrogen in, 3499
DTA, study of heterogeneous nucleation of crystallization in polypropylene by, 2131
Dyeability of nylon 6, relation to processing factors, 139
Dye accessibility, fine structure of regenerated cellulose films by, 2591
Dye diffusion, concentration dependence in, 333
Dye-diffusion behavior, change of, into polyamide fibers with drawing, 2167
Dye diffusion parallel to the fiber axis, effect of drawing on, 3887
Dyes, reactive, printing of wool with, 535
Dynamic-mechanical method, transition by, 3519
Dynamic mechanical properties, of poly(vinyl alkyl ethers), 3471
Dynamic properties, of filler-loaded rubbers, effect of dispersion on, 2273
  of natural rubber containing heat-treated carbon blacks, 3245
Elastic effects, separation from viscous effects, in polymer melt extrusion, 887
Elastic effects in a linear–gel polymer system, 1615
Elastic modulus of Mylar sheet, 911
Elastic properties of particle network in gelled solutions of hydrocolloids, 1973
Elastomers, fractionation and molecular characteristics of, 3541
  highly filled, mechanical properties of, 2143
  raw, rheological analysis of, with the multispeed Mooney shearing disk viscometer, 1929
  urethane, tack in, 523
Elastomers based on polycyclic bisphenol polycarbonates, 3451
Electrochemical properties of thin Parlodion membranes, 689
Electrodialysis with ion-exchange membranes, diffusion effect during, 2631
Electron microscopy, 3617
Electrostatic atomization, procedures to guide experiments directed to improvement of, 839
Emulsion polymerization, kinetics of, 1291
Emulsion polymerization of ethylene, 1797, 1807
Endgroup modification, of unsaturated polyesters, effect on chemical resistance, 1681
Epichlorohydrin–bisphenol A polymers, estimation of molecular weights of, by gel permeation chromatography, 3845
Epoxide resins, degradation of, 3195
Epoxy polymer, filled and unfilled, effect of humidity on tensile properties of, 3215
Epoxy resin, dielectric properties of, during polymerization, 3505
Equilibrium volume swelling, and stress–strain behavior, for peroxide vulcanizates of natural rubber and *cis*-1,4-polyisoprene, 1571
Etching, acid, response of polyethylene to, 2641
Ethyl acrylate–ethylene copolymers, and crosslinked polyethylene, mechanical properties of, 3819
Ethylamine treatment, effect of, on the crystallinity of cellulose, 1139
  effect of, on the dielectric properties and crystallinity of cellulose, 1149, 1167
Ethylene, emulsion polymerization of, 1797, 1807
Ethylene–ethyl acrylate copolymers and crosslinked polyethylene, mechanical properties of, 3819

Ethylene oxide and β-vinylnaphthalene, polyblends of, 1385
Ethylene polymers, 2879
Ethylene–propylene copolymers, block, by differential thermal analysis, 3061
random, by differential thermal analysis, 3061
Ethylene–propylene rubbers and isobutylene, radiation-induced block or graft copolymers of methyl methacrylate with, 2955
Ethylene–propylene rubber terpolymers, curing of, with dimethacrylate monomers, 1579
Ethylene–vinyl acetate copolymers, crystallinity of, 3153
Extracellular polysaccharide produced from glucose by *Arthrobacter viscosus* NRRL B-1973, 627
Extrusion, polymer melt, separation of elastic and viscous effects in, 887
Extrusion characteristics of poly(vinyl chloride), 3917
Fabrics, cotton, modification of crosslinking effects in, by swelling and methylation, 2311
Fatigue limit, mechanical, for rubber, 1233
Fatty acid-modified alkyd resin, unsaturated, effect of method of synthesis of, on the crosslinking behavior of prepolymer, 3649
Fiber axis, effect of drawing on the dye diffusion parallel to, 3887
Fiber behavior of polyacrylonitrile, 2085
Fibers, drawn polymer, maximum tensile modulus of, 3897
FMIR infrared spectroscopy of coatings on, 3953
polyamide, drawing of, 2167, 2177, 3887
polypropylene, behavior of, 2729
vegetable, shape and extent of small-angle x-ray scattering in, 3427
Fibers of poly(2-tetramethylene-4-phenylenethiazole), 1455
Filled elastomers, strain energy functions for, 2565
Filled polymer melts, Barus effect in, 3071
Filler characteristics, and thermal expansion and bulk moduli, relationship between, 2143
Filler loaded rubbers, stress softening effects in, 3011
Filler particle size, 1525
Fillers, effect of, on hard rubber reaction, 2285
talc, effects of, on tensile and impact fatigue properties of thermoplastic blends, 2047
Film development, statistical analysis applied to, 1095
Film lamination by radiation-induced polymerization of acrylic acid, 3661
Films, air-dried, of phenolic varnishes, phenolic resins in, 2785
cold-water soluble, from cyanoethylated polyvinyl alcohol, 1083
formation of, by drying of latex, 3759
grafted PVA-based water-soluble, 1095
oxidative polymerized, from polymerized oils, alkyd resins, and phenolic varnishes, 3519
poly(ethylene terephthalate), oriented, 2661
polymer, spin casting of, 1209
regenerated cellulose, fine structure of, by dye accessibility, 2591
thin, in ultraviolet studies of cellulose xanthate, 1041
thin polymer, 1863
Films of poly(2-tetramethylene-4-phenylenethiazole), 1455
Fine structure of cellulose, effect of chemical agents on, 1913
Fine structure of regenerated cellulose films by dye accessibility, 2591
First-order transitions of polytetrafluoroethylene in the temperature range 80–140°C. by several methods, 3575
Flow instability, criterion of, for non-Newtonian flow, 2779
Flow and molecular structure, in linear polyethylene, 2101
FMIR infrared spectroscopy of coatings on fibers and metal plates, 3953
Foams, polyurethane, dipolar solvents in, 1019
polyurethane, high load-bearing, dependence of physical properties on composition in a series of, 2715
rigid urethane, thermal characteristics of, 3851
Formaldehyde, aqueous solutions of, solubility of hydrogen sulfide in, 2895
reaction with cellulose xanthate, 1055
Formaldehyde-modified cotton celluloses, variations in crosslink organization in, 3869
Formaldehyde–phenol polycondensates, thermo-oxidative degradation of, 2799
Formaldehyde–phenol polycondensation, initial degradation reactions, oxidative degradation of, 1117
Formaldehyde–phenol and polyether, graft copolymers consisted of, 1991
Formaldehyde–water–hydrogen sulfide system, 2895
Fractionation of asphaltenes by gel permeation chromatography, 3389
Fractionation of elastomers, 3541
Fractionation of fractions, 2019
Fractions, fractionation and characterization of, 2019
Fracture surface work measurements on polymers by cleavage, effect of crosslinking and preorientation, 609
effect of temperature, 589
Furfural-based ion-exchange resins, 2655
Furfural–styrene reaction product, cation exchanger from, 2655
Gel, crosslinked polyacrylamide, as a dehydrating agent, 3929
Gelatinization and pasting characteristics, crystallinity of rice starch and its fractions in relation to, 3775
Gelation, reaction mechanism of, 3263

Gelation and solution, plastisol, measurement of, by infrared spectroscopy, 3863
Gelled solutions of hydrocolloids, elastic properties of the particle network in, 1973
Gel permeation chromatography, estimation of molecular weights of epichlorohydrin–bisphenol A polymers by, 3845
Glass temperature, effect of structure on, of polyamides, 471
Glass transition, processing of poly(vinyl chloride) polymers correlated with, 3359
Glass transitions, polyamide, correlation and prediction of, 3949
Glass transition temperature, stress relaxation of polytetrafluoroethylene in the vicinity of, 1515
Glass transition temperatures of poly(methyl methacrylate) plasticized with low concentrations of monomer and diethyl phthalate, 3795
Glassy polymers, fracture surface work measurements by cleavage technique, 589
Glyceryl methacrylate hydrogels, 3161
Graft copolymers, radiation-induced, of methyl methacrylate with isobutylene and ethylene–propylene rubbers, 2955
Graft copolymers consisted of polyether and phenol–formaldehyde resin, 1991
Grafting of acrylate monomers in cotton fabrics, 2227
Grafting of chelating monomers to styrene–butadiene latexes, 715
Grafting and crosslinking in cotton fabrics, concerted effects of, 3721
Graft polymerization, anionic, of acrylonitrile and methacrylonitrile on cellulose acetate, 3737
Graft polymerization of vinyl monomers in wool fibers, 3465
Heat setting, effect of, on diffusion of dyestuff into nylon 6, 91
  effect of, on dyeability and fine structure of nylon 6, 11
    on dyeability of nylon 6, 129
    on lateral-order distribution of nylon 6, 117
    on viscoelastic and thermal behavior of nylon 6, 69
    on viscosity and amino and carboxyl endgroups of nylon 6, 25
    on water accessibility of nylon 6, 55
    on water adsorption on nylon 6, 45
    on wide- and small-angle x-ray diffraction of nylon 6, 39
    on Young's modulus and specific gravity of nylon 6, 3
  relation to swelling in nylon 6, 31
Hexaphenylcyclotrisilazane and related materials, conversion of, to infusible polymers and coatings, 2811
High polymeric networks, structural characterization of, by an osmotic pressure technique, 3903
Humidity, effect of, on the tensile properties of filled and unfilled epoxy polymer, 3215
Hydrocolloids, gelled solutions of, elastic properties of the particle network in, 1973
Hydrogels, glyceryl methacrylate, 3161
  permeation of water through, 3417
Hydrogels from 2-hydroxyethyl methacrylate and propylene glycol monoacrylate, 2425
Hydrogen, irreversible exchange of, in the drying of cellulose at high temperature, 3499
Hydrogen sulfide, solubility of, in aqueous solutions of formaldehyde and first solid product of the system, 2895
Hydrogen sulfide–formaldehyde–water system, 2895
Hydrolysis, acid, of keratins, 2835
Hydrolysis of butadiene diepoxides, 169
Hydroperoxides, determination of, in ultraviolet-irradiated nylon 66, 1631
2-Hydroxyethyl methacrylate, and propylene glycol monoacrylate, hydrogels from, 2425
Impact fatigue properties of some thermoplastic blends, effects of mixing variables and talc fillers on, 2047
Impact resistance, phenomenology of, 3531
Impact testing, phenomenology of, 3531
Induction period in the aging of polypropylene, 2251
Infrared spectra, effect of deuteration on, of heat-set nylon 6, 81
Infrared spectra of alkanesulfonic acids, chlorosulfonated polyethylene, and their derivatives, 1653
Infrared spectra of nylon 6 prepared from N-deuterated ϵ-caprolactam, 55
Infrared spectroscopy, FMIR, of coatings on fibers and metal plates, 3953
  kinetics of uncatalyzed thermal oxidation of atactic polybutene-1 by, 3557
  measurement of plastisol gelation and solution by, 3863
  thermal oxidation and photooxidation of acetal plastics by, 2501
Infusible polymers, conversion of hexaphenylcyclotrisilazane and related materials to, 2811
Inhibitory effect, relative, of various compounds on the rate of polymerization of methyl methacrylate, 2009
Initiators, anionic, effects of aging on, 1561
Injection-molded polypropylene, retraction of, 2681
Insulation materials, polymeric, hydrolytic degradation of, as measured by infrared absorption spectroscopy, 1193
Insulation materials, thermal conductivity of, apparatus for, 2985
Interactions, polymer–diluent, of nitrocellulose–nitrate ester systems, 707
Iodine–poly(vinyl alcohol) complexes, 2393
Ion-exchange membranes, diffusion effect during electrodialysis with, 2631

Ion-exchange resins, furfural-based, 2655
Irradiation, γ-, effects on loss properties of dielectrics, 483
ultrasonic, polymerization of methyl methacrylate under, 3171
Irradiation stability of sulfonated styrene resins crosslinked with various divinylbenzene isomers and mixtures, 2001
Isobutylene, and ethylene–propylene rubbers, radiation-induced block or graft copolymers of methyl methacrylate with, 2955
Isocyanate–alcohol reactions with metal catalysts, kinetics of, 1787
Isocyanate reactions, catalytic effects of 1,1,3,3-tetramethylguanidine for, 1089
Keratins, acid hydrolysis of, 2835
crosslinking in, 2819, 2829, 2835, 2847
Kinetic parameters from temperature-programmed reactions, 1895
Kinetic parameters from thermogravimetric traces, 3033
Kinetics, crystallization, 3605
parameters in polymer degradation, 351
Kinetics of alcohol–isocyanate reactions with metal catalysts, 1787
Kinetics of emulsion polymerization, 1291
Kinetics of thermal polymerization of shellac, 3263, 3273
Kinetics of uncatalyzed thermal oxidation of atactic polybutene-1 by infrared spectroscopy, 3557
Kinetics of vinyl polymerization initiated by ceric ionin aqueous solution, 2437
Kinetics of zinc fluoborate- and hydrogen ion-catalyzed hydrolyses of butadiene diepoxides, 169
Latex, formation of films by drying of, 3759
polyurethane, 2451
Latex growth, 2929
Lewis acids, catalysis by, in reactions of cellulose-*d,l*-butadiene diepoxide, 191
Lewis bases, effect of, on molecular weight, 2475
Linear addition polymerizations, continuous, molecular weight distributions in, 3409
Linear–gel polymer system, elastic effects in, 1615
flow properties of, 1601
Line-width measurement (NMR), transition by, 3519
Lyotropic swelling of secondary cellulose acetate, 663
Mass spectroscopy, time-of-flight, products of flash pyrolysis of phenol–formaldehyde by, 651
Mechanical properties of highly filled elastomers, 2143
Mechanical properties of polymers, 1525
Mechanisms of tensile response, 2071
Melt flow properties of low-pressure polyethylene, effect of molecular weight distribution on, 1853
Melt flow properties of polypropylene, 3231
Melting point, polypropylene annealed near, 2693
Membrane, permselective, based on cellulose, 3503
Membrane gel structure, 1873
Membranes, cation-exchange, 941
cellulose acetate osmotic, transport properties of, 1341
ion-exchange, diffusion effect during electrodialysis with, 2631
Parlodion, electrochemical properties of, 689
polymer, transient permeation of organic vapors through, 917
semipermeable, of cellulose acetate, for desalination in reverse osmosis, 663, 1873, 2363
thin Parlodion, preparation and characterization of, 1285
Metallic oxide–accelerator combinations, effect of, on hard rubber reaction, 1731
Methylacrylonitrile and acrylonitrile, anionic graft polymerization of, on cellulose acetate, 3737
Methylation and swelling modification of crosslinking effects in cotton fabrics by, 2311
Methyl α-cyanoacrylate, copolymerization, 429
Methyl methacrylate, polymerization of, under ultrasonic irradiation, 3171
radiation-induced block or graft copolymers of, with isobutylene and ethylene–propylene rubbers, 2955
rate of polymerization of, relative inhibitory effect of various compounds on, 2009
Methylolamides containing amino acid groups, 1757
3-Methyl-1-pentene, copolymers of, 933
4-Methyl-1-pentene, copolymers of, 933
2-Methyl-5-vinylpyridine/butadiene/styrene terpolymer, 1323
Microcrystals of cellulose, 1973
Microgel, dispersion of, in impact polystyrene, 2887
Microscopic domains in synthetic polymers, 569
Minerals, reactions catalyzed by, 1261
Modification, incremental, of styrene–butadiene rubber with *tert*-nonyl mercaptan, 1273
Modulus of carbon black-loaded rubbers, 1073
Moisture sorption in cellulose acetate, 1197
Molecular orientation and draw ratio of polypropylene monofilaments, relationship between, 3597
Molecular structure and flow in linear polyethylene, 2101
Molecular weight, effect of, on polymer adsorption and deflocculation, 545
effect of Lewis acids on, 2475
weight-average and number-average, of poly(vinyl chloride) polymers from intrinsic viscosity measurements, 583

Molecular weight distribution, effect of, on melt flow properties of low-pressure polyethylene, 1853
effect of, on rheological parameters of polyethylene melts, 757, 767
regulation of, in the polymerization of butadiene–styrene and butadiene–nitrile rubbers, 2527
Molecular weight distribution of prepolymer and degree of crosslinking of the derived film, correlation of, 3649
Molecular weight distributions in continuous linear addition polymerizations, 3409
Molecular weight distributions in poly(oxatetramethylene) glycol, 467
Molecular weights of epichlorohydrin–bisphenol A polymers by gel permeation chromatography, 3845
Molecular weight–viscosity relationship for natural rubber, 495
Monochlorostyrenes, polymerization rates of, 1473
Monofilaments, polypropylene, effect of mounting technique on the laboratory weathering of, 2511
polypropylene, molecular orientation and draw ratio of, relationship between, 3597
Monolayers, poly(vinyl benzoate), electrical properties and structure of, 3111
Monomers, acrylate, grafting of, in cotton fabrics, 2227
Mounting technique, effect of, on the laboratory weathering of polypropylene monofilaments, 2511
Mylar sheet, elastic modulus of, 911
Natural rubber and *cis*-1,4-polybutadiene, blends of, oxidative stress relaxation of, 3091
Natural rubber and *cis*-1,4-polyisoprene, peroxide vulcanizates of, 1571
Natural rubber vulcanizates, oxidative stress relaxation of, at high strain, 3101
Neoprene, measurement of brittleness temperature of, by proton magnetic resonance, 1553
Neoprene W, 3541
Network characterization, of silicone rubber vulcanizates, 3049
Nitrate ester–nitrocellulose systems, polymer–diluent interactions of, 707
Nitrile–butadiene rubbers, regulation of molecular weight distribution in the polymerization of, 2527
Nitriles, acetylenic, polymers of, 1431
Nitrocellulose–nitrate ester systems, polymer–diluent interactions of, 707
Non-Newtonian flow, 2779
tert-Nonyl mercaptan, incremental modification of styrene–butadiene rubber with 1273
Nucleation, heterogeneous, of crystallization in polypropylene, DTA study of, 2131
Nylon 6, effect of dry heat and steam setting on Young's modulus and specific gravity of, 3
effect of heat setting on diffusion of dyestuff into, 91
effect of heat setting on dyeability of, 129
effect of heat setting on lateral-order distribution of, 117
effect of heat setting on viscoelastic and thermal behavior of, 69
effect of heat setting on water adsorption of, 45
effect of heat setting on wide- and small-angle x-ray diffraction of, 39
effect of steam setting on water accessibility of, 55
effects of heat setting on dyeability and fine structure of, 11
effects of heat setting on viscosity and amino and carboxyl endgroups of, 25
heat-set, effect of deuteration in infrared spectra of, 81
infrared spectra of, when prepared from N-deuterated ϵ-caprolactam, 55
relation of dyeability to processing factors, 139
relationship between heat setting and swelling, 31
Nylon 66, ultraviolet-irradiated, determination of in hydroperoxides, 1631
Nylon 610, interfacial polycondensation of, in continuous cascade systems, 2337
Optical activity of highly scattering solutions, 1905
Organic coatings, deposition of, procedures to guide experiments directed to improvement of, 839
Organotin polyesters, 3383
Osmosis, reverse, semipermeable membranes of cellulose acetate for desalination in, 663, 1873, 2363
Osmotic behavior of thermally degraded polystyrene, 4025
Osmotic pressure technique, structural characterization of high polymeric networks by, 3903
Oxidation, thermal, and photooxidation of acetal plastics by infrared spectroscopy, 2501
Oxidation products and stabilizers, effect of volatilization of, on polypropylene lifetimes, 3837
Oxidation of styrene popcorn polymer, 1253
Oxides, metallic, effect of, on hard rubber reaction, 1731
Oxycelluloses, birefringence, density, and tensile characteristics of, 1437
Ozone in dynamic cut growth of rubber, 2031
Parlodion, thin membranes of, preparation and characterization of, 1285
Particle distribution, effect of recipe on, in emulsion polymerization of ethylene, 1807
Particle network, elastic properties of, in gelled solutions of hydrocolloids, 1973

Particle size, effect of recipe on, in emulsion polymerization of ethylene, 1807
Pasting characteristics and gelatinization, crystallinity of rice starch and its fractions in relation to, 3775
Permeation, transient, of organic vapors through polymer membranes, 917
Permeation of water through some hydrogels, 3417
Permselective membrane based on cellulose, 3503
Peroxide vulcanization of natural rubber, temperature effects in, 3255
Phenol–formaldehyde, products of flash pyrolysis of, by time-of-flight mass spectroscopy, 651
Phenol–formaldehyde polycondensates, thermo-oxidative degradation of, 2799
Phenol–formaldehyde polycondensation, initial degradation reactions, oxidative degradation of, 1117
Phenol–formaldehyde and polyether, graft copolymers consisted of, 1991
Phenolic resins, cure rates of, by differential thermal analysis, 777
Phenolic resins in air-dried films of phenolic varnishes, 2785
Phenolic varnishes, oxidative polymerized films from, 3519
phenolic resins in air-dried films of, 2785
Phenol–phosgene interaction, 3295
Phenyl isocyanate, kinetics of the tin-catalyzed reactions of, with ureas, 1713
Phenyl 5-methacryloxymethylsalicylate, polymerization of, 903
synthesis of, 903
Phosgene–phenol interaction, 3295
Photodegradation of *cis*-1,4-polyisoprene sensitized by the addition of chloronitroso compounds, 2121
Photolysis of polystyrene, 975
Photolytic degradation of some poly(alkylene polysulfides), 3489
Photooxidation of polymers, 963, 975, 987, 999
Photooxidation and thermal oxidation, of acetal plastics by infrared spectroscopy, 2501
Piezoelectric effect, inverse, in polymers, 3351
Plasticizers, effect of, 1553
Plastics, acetal, thermal oxidation and photooxidation of by infrared spectroscopy, 2501
nonlinear dynamic behavior of, 561
polyolefin, metal-organic stabilizers and antistabilizers for, 1947
pyrolysis of, in a high vacuum arc image furnace, 1005
rotational dynamic measurement of, 1201
Plastisol gelation and solution, measurment of, by infrared spectroscopy, 3863
Polar fluids and their concentrated solutions in slightly polar solvents, rheopexy in, 3177
Polarity of bisphenol A epoxy resins, effect of, on adhesion at cryogenic and elevated temperatures, 3707
Polar solvents, slightly, rheopexy of concentrated solutions of polar fluids in, 3177
Polyacetal copolymers, degradation and stabilization of, 1419
Polyacrylamide gel, crosslinked, as a dehydrating agent, 3929
Polyacrylonitrile, dielectric behavior and resistivities of, 553
fiber behavior of, 2085
fibers of, 2071
Poly(alkylene polysulfides), photolytic degradation of, 3489
Polyamide fibers, drawing of, 2167, 2177, 3887
Polyamide glass transitions, correlation and prediction of, 3949
Polyamides, effect of structure on glass temperature of, 471
effects of thermal exposure on the physicochemical properties of, 2855
Polybenzyl, oxidative degradation of, 1107
Polyblends of β-vinylnaphthalene and ethylene oxide, 1385
cis-Polybutadiene, crosslinking of, by Co^{60} α-rays, 1363
cis-1,4-Polybutadiene, mixing with *trans*-1,4-polybutadiene, 1299
rheological properties of, 739
sedimentation analysis of, in a theta solvent, 2549
cis-1,4-Polybutadiene and natural rubber, blends of, oxidative stress relaxation of, 3091
Polybutadiene rubber vulcanizates, effective sulfur crosslinking in, 3041
Polybutene-1, atactic, kinetics of uncatalyzed thermal oxidation of, by infrared spectroscopy, 3557
Polycarbonates, aromatic, by an anhydrous catalytic solution process, 3295, 3309
polycyclic bisphenol, elastomers based on, 3451
Polychlorure de vinyle, dégradation thermique du, 1823
Polycondensates, phenol–formaldehyde, thermo-oxidative degradation of, 2799
Polycondensation, interfacial, of nylon 610 in continuous cascade systems, 2337
Polycondensation, phenol–formaldehyde, initial degradation reactions, oxidative degradation of, 1117
Polyesters, acetylenic, 2379
organotin, 3383
unsaturated, carbonate-modified, 799
Polyester system, unsaturated, polymerization of, by resistivity, 1743
Polyether and phenol–formaldehyde resins, graft copolymers consisted of, 1991
Polyether urethane sealants, 2965
Poly(ethyl acrylate), oxidative degradation of, 785

Polyethylene, crosslinked, and crosslinked ethylene–ethyl acrylate copolymers, mechanical properties of, 3819
extruded film, crystallite orientation in, 227
linear, relationships between molecular structure and flow in, 2101
simplified correlations for, 3225
low-pressure, effect of molecular weight distribution on melt flow properties of, 1853
radiation protection of, 1585
response of, to acid etching, 2641
Polyethylene blends, application of differential thermal analysis to, 729
Polyethylene formed by Co^{60} γ-radiation under constant conditions in a nonflow system, 3123
Polyethylene melts, effects of molecular weight distribution and branching on rheological parameters of, 757, 767
Polyethylene produced by γ-radiation polymerization, physical properties and structure of, 2537
Polyethylenes, Ziegler, effects of small doses of radiation on the flow and other properties of, 2763
Poly(ethylene terephthalate), 3605, 3617
polyurethane analog of, 213
Poly(ethylene terephthalate) films, oriented, 2661
Polyhexaallylmelamine and related polymers, 2189
Polyisophthalamides, adhesive properties of, 3753
cis-1,4-Polyisoprene, sensitized by the addition of chloronitroso compounds, photodegradation of, 2121
Polyisoprene, viscosity of, 2911
cis-1,4-Polyisoprene and natural rubber, peroxide vulcanizates of, 1571
Polymer–black interaction, correlation of vulcanizate properties with, 2749
Poly-3-methyl-1-butene, crystallization in, 3023
Poly(methyl methacrylate) plasticized with low concentrations of monomer and diethyl phthalate, glass transition temperatures of, 3795
Polyolefins, semicrystalline, 3023
properties of, 933
Polyols, oxypropylene, peel strength of polyurethanes from, 279
Poly(oxatetramethylene) glycol, influence of water on polymerization catalysis of, 461
molecular weight distributions, 467
Poly(phenylene oxides), thermal degradation of, 513
Polypropylene, atactic, heptane-soluble material from, 2019
characterization of, according to steady-state flow behavior, 3141
DTA study of heterogeneous nucleation of crystallization in, 2131
effects of degradation on melt rheology, 501
induction period in the aging of, 2251
injection-molded, retraction of, 2681
measurement of stereoregularity in, 359
melt flow properties of, 3231
undrawn filaments, smectic content in, 1227
Polypropylene annealed near its melting point, 2693
Polypropylene fibers, behavior of, 2729
Polypropylene lifetimes, effect of volatilization of stabilizers and oxidation products on, 3837
Polypropylene monofilaments, effect of mounting technique on the laboratory weathering of, 2511
molecular orientation and draw ratio of, relationship between, 3597
Polypropylene polymers, behavior of, 2729
Polystyrene, coloration of, 999
impact, dispersion of microgel in, 2887
photolysis of, 975
photooxidation of, 987
radiation effects on, in solution, 385
thermally degraded, osmotic behavior of, 4025
Polytetrafluoroethylene, first-order and second-order transitions of, in the temperature range 80–140°C. by several methods, 3575
pyrolysis of, 1895
second-order transitions of, at about −30°C. by several methods, 3585
stress relaxation of, in the vicinity of its glass transition temperature, 1515
thermal conductivity of, 3567
thermal expansion coefficient of, 421
Poly(2-tetramethylene-4-phenylenethiazole), fibers and films of, 1455
Polyurethane analog of polyethylene terephthalate, 213
Polyurethane foams, dipolar solvents in, 1019
high load-bearing, dependence of physical properties on composition in a series of, 2715
Polyurethane latex, 2451
Polyurethanes, peel strength of, from oxypropylene polyols, 279
Polyurethanes as cryogenic adhesives, 3909
Poly(vinyl alcohol), cyanoethylated, cold water-soluble films from, 1083
ultraviolet-induced crosslinking of, in the presence of sensitizers, 3217
Poly(vinyl alcohol)–iodine complexes, 2393
Poly(vinyl alkyl ethers), dynamic mechanical properties of, 3471
Poly(vinyl benzoate), linear, mixtures with stearic acid, 439
Poly(vinyl benzoate) monolayers, electrical properties and structure of, 3111
Poly(vinyl chloride), diffusion of dioctyl phthalate into, 207
equivalence of cyclohexanone and tetrahydroguran as solvents for, 2319
extrusion characteristics of, 3917
plasticized, rheological breakdown in the continuous shearing of, 1767
thermoplastic blends of, with acrylonitrile–butadiene copolymer rubber, 2047

Poly(vinyl chloride) polymers, molecular weight from intrinsic viscosity, 583
processing of, correlated with composition, glass transition, and viscosity, 3359
Prepolymer, molecular weight distribution of, and degree of crosslinking of the derived film, correlation of, 3649
Pressure chamber for use during differential thermal analyses, 3935
Propylene–ethylene copolymers, block, by differential thermal analysis, 3061
random, by differential thermal analysis, 3061
Propylene–ethylene rubbers and isobutylene, radiation-induced block or graft copolymers of methyl methacrylate with, 2955
Propylene–ethylene rubber terpolymers, curing of, with dimethacrylate monomers, 1579
Propylene glycol monoacrylate and 2-hydroxyethyl methacrylate, hydrogels from, 2425
Proton magnetic resonance, measurement of brittleness temperature of neoprene by, 1533
Pure gum rubbers, stress softening effects in, 3011
Pyrolysis, flash, products of, of phenol–formaldehyde, 651
Pyrolysis of plastics in a high vacuum arc image furnace, 1005
Pyrolysis of polytetrafluoroethylene, 1895
Pyrolyzates, dielectric behavior and resistivities of, 553
Radiation, effects of small doses of, on the flow and other properties of Ziegler polyethylenes, 2763
γ-Radiation, Co^{60}, under constant conditions in a nonflow system, polyethylene formed by, 3123
Radiation crosslinking of branched fluorocarbon resins, 401
Radiation effects on polystyrene in solution, 385
Radiation graft polymerization, improvement of adhesive properties of plastics by, 3635
Radiation-induced polymerization of acrylic acid, film lamination by, 3661
Radiation-induced solid-state polymerization of trioxane, variables in, 3681
γ-Radiation polymerization, physical properties and structure of polyethylene produced by, 2537
Radiation protection of polyethylene, 1585
Rate of polymerization of methyl methacrylate, relative inhibitory effect of various compounds on, 2009
Rates, polymerization, continuous measurement of, over the entire conversion range with a recording dilatometer, 1487
polymerization, of monochlorostyrenes, 1473
Recrystallization of amorphous cellulose, 2627
Redox polymerization, ceric ion induced, of acrylonitrile in presence of cellulose, 2633
Refractive index increments, specific, of polymer solutions, 3963, 4003
Régularité structurale des polymères, influence de la, sur leur stabilité thermique sous atmosphère inerte, 1823
Reinforced fillers, stress relaxation in rubbers containing, 3395
Relaxation, dielectric, in solutions, 1197
Resin, epoxy, dielectric properties of, during polymerization, 3505
polyether, curable, 1991
Resins, branched fluorocarbon, radiation crosslinking of, 401
epoxide, degradation of, 3195
epoxy, cure of, base catalysts for, 2707
dynamic and tensile properties of, 1213
uncured, cleavage of phenolic segments during the thermal degradation of, 1981
ion-exchange, furfural-based, 2655
molten, surface tension and viscosity studies of, for thermoplastic recording, 1593
phenolic, in air-dried films of phenolic varnishes, 2785
polypyromellitimide, behavior at high temperatures, 245
sulfonated styrene, irradiation stability of, 2001
Resistivities of polyacrylonitrile and pyrolyzates, 553
Resistivity, polymerization of an unsaturated polyester system by, 1743
Retention, variable, of water by dry wood, 2345
Retraction of injection-molded polypropylene, 2681
Rheological breakdown in the continuous shearing of plasticized poly(vinyl chloride), 1767
Rheological parameters of polyethylene melts, effects of molecular weight distribution and branching on, 757, 767
Rheological properties of *cis*-polybutadiene, 739
Rheology, analysis by, of raw elastomers with the multispeed Mooney shearing disk viscometer, 1929
melt, effects of degradation on, for polypropylene, 501
Rheometry, extrusion, of compounded rubbers, 369
Rheopexy in some polar fluids and their concentrated solutions in slightly polar solvents, 3177
Rice starch and its fractions, crystallinity of, in relation to gelatinization and pasting characteristics, 3775
Rubber, dynamic cut growth of, role of ozone in, 2031
hard, reaction of, 2285
mechanical fatigue limit for, 1233

natural, containing heat-treated carbon blacks, dynamic properties of, 3245
sulfur group analysis in unaccelerated vulcanization of, 1395
temperature effects in the peroxide vulcanization of, 3255
viscosity–molecular weight relationship, 495
silicone, determination of effective crosslink density in, 151
Rubber-reinforced glassy polymers, stress-strain behavior of, 2297
Rubbers, carbon black-loaded, conductivity and modulus of, 1073
compounded, reservoir effects in extrusion rheometry of, 369
filler-loaded, effect of dispersion on the dynamic properties of, 2273
pure gum and filler loaded, stress softening effects in, 3011
vulcanized, swelling in binary solvent mixtures, 241
Rubbers containing reinforced fillers, stress relaxation in, 3395
Rubber vulcanizates, stress softening in, 2993, 3011
SBR, aging of, 267
Schiff base-transition metal coordination polymers, 2321
Sealants, polyether urethane, 2965
Second-order transitions of polytetrafluoro-ethylene at about −30°C. by several methods, 3585
Second-order transitions of polytetrafluoroethylene in the temperature range 80–140°C. by several methods, 3575
Sedimentation analysis of 1,4-*cis*-polybutadiene in a theta solvent, 2549
Sedimentation analysis of styrene–butadiene copolymer rubber, 1701
Sensitizers, ultraviolet-induced crosslinking of poly(vinyl alcohol) in the presence of, 3217
Shear dependence, limiting, of the intrinsic viscosity of deformable polymer molecules, 2607
Shearing, continuous, rheological breakdown in, of plasticized poly(vinyl chloride), 1767
Shellac, kinetics of thermal polymerization of, 3263, 3273
Silicone rubber, swelling of, three methods for, 3285
Silicone rubber vulcanizates, network characterization of, 3049
Smectic content in undrawn polypropylene filaments, 1227
Solid-state polymerization, radiation-induced, of trioxane, variables in, 3681
Solubility, theory for, on simultaneous chain scission and crosslink cleavage, 2819
Solution process, anhydrous catalytic, aromatic polycarbonates by, 3309
anhydrous catalytic, condensation polymers by, 3321
Solution properties of cellulose acetate, 947
Solutions, dielectric relaxation in, 1197
highly scattering, optical activity of, 1905
Solvent effects on effective crosslink density, 3049
Solvents, binary mixtures, swelling of vulcanized rubbers in, 241
dipolar, in polyurethane foams, 1019
Sorption and desorption, damping transients in polymers during, 2651
Sorption of electrolyte by rubber-based cation-exchange membrane from CNSL resin, 941
Sorption of moisture by elastomeric solid propellant binders, 1841
Specific gravity, effect on, of heat setting processes on nylon 6, 3
Specific heat of wool in the range −50 to 100°C., 893
Specimen shape effects on effective crosslink density, 3049
Spectroscopy, infrared, kinetics of uncatalyzed thermal oxidation of atactic polybutene-1 by, 3557
infrared, measurement of plastisol gelation and solution by, 3863
thermal oxidation and photooxidation of acetal plastics by, 2501
infrared absorption, hydrolytic degradation of polymeric insulation materials as measured by, 1193
infrared FMIR, of coatings on fibers and metal plates, 3953
mechanical shear relaxation, in experimental viscoelasticity, 2209
Spin casting of polymer films, 1209
Spinning bath liquids, effect of, on the properties of acrylic fibers, 1499
Stabilité thermique, influence de la régularité structurale des polymères sur leur, sous atmosphère inerte, 1823
Stabilization and degradation of polyacetal copolymers, 1419
Stabilizers, metalorganic, for polyolefin plastics, 1947
Stabilizers and oxidation products, effect of volatilization of, on polypropylene lifetimes, 3837
Statistical analysis applied to film development, 1095
Steady-state flow behavior, characterization of polypropylene according to, 3141
Stereoregularity, infrared band intensity measurement of, in polypropylene, 359
Strain energy functions for filled elastomers, 2565
Stress relaxation, oxidative, of blends of *cis*-1,4-polybutadiene and natural rubber, 3091
oxidative, of natural rubber vulcanizates at high strains, 3101
Stress relaxation of polytetrafluoroethylene, in the vicinity of its glass transition temperature, 1515
Stress relaxation in rubbers containing reinforced fillers, 3395
Stress softening effects in pure gum and filler loaded rubbers, 3011

Stress softening in rubber vulcanizates, 2993, 3011
Stress–strain behavior and equilibrium volume swelling for peroxide vulcanizates of natural rubber and *cis*-1,4-polyisoprene, 1571
Stress–strain behavior of rubber-reinforced glassy polymers, 2297
Structural effects in metal ion catalysis of isocyanate–hydroxyl reactions, 821
Styrene, polymerization of, 1261
Styrene–butadiene copolymer rubber, sedimentation analysis, 1701
Styrene–butadiene latexes, grafting of chelating monomers to, 715
Styrene/butadiene/2-methyl-5-vinylpyridine terpolymer, 1323
Styrene–butadiene rubber, incremental modification of, with *tert*-nonyl mercaptan, 1273
Styrene–butadiene rubbers, regulation of molecular weight distribution in the polymerization of, 2527
Styrene–furfural reaction product, cation exchanger from, 2655
Styrene popcorn polymer, oxidation of, 1253
Sulfur, group analysis of, in unaccelerated vulcanization of natural rubber, 1395
Sulfur crosslinking, effective, in polybutadiene rubber vulcanizates, 3041
Sulfur disproportionation after chain scission and crosslink cleavage, 2829
Surface effects, environmental, on ABS resins, 3701
Surface tension of molten resins for thermoplastic recording, 1593
Suspension polymerization of caprolactam, 2939
Swelling, longitudinal, effect of drawing on the degree of, 2177
Swelling and methylation, modification of crosslinking effects in cotton fabrics by, 2311
Swelling of silicone rubber, three methods for, 3285
Tack in urethane elastomers, 523
Temperature effects on effective crosslink density, 3049
Temperature effects in the peroxide vulcanization of natural rubber, 3255
Temperature-programmed reactions, kinetic parameters from, 1895
Tensile characteristics of oxycelluloses, 1437
Tensile modulus, maximum, of drawn polymer fibers, 3897
Tensile properties of decrystallized products from cotton, 313
Tensile properties of filled and unfilled epoxy polymer, effect of humidity on, 3215
Tensile properties of some thermoplastic blends, effects of mixing variables and talc fillers on, 2047
Tensile response, mechanisms of, 2071
Tensile stress relaxation of a mechanical mixture of two polymer components, 2261
Terpolymers, butadiene/styrene/2-methyl-5-vinylpyridine, 1323
ethylene–propylene rubber, curing of, with dimethacrylate monomers, 1579
Tetrahydrofuran and cyclohexanone, equivalence of, as solvents for poly(vinyl chloride), 2319
1,1,3,3-Tetramethylguanidine, catalytic effects of, for isocyanate reactions, 1089
Thermal analysis, differential, application to polyethylene blends, 729
differential, block and random ethylene–propylene copolymers by, 3061
cure rates of phenolic resins by, 777
pressure chamber for use during, 3935
Thermal characteristics of some rigid urethane foams, 3851
Thermal cleavage of crosslinks, 2847
Thermal conductivity of homogeneous polymeric materials at elevated temperatures, transient techniques for, 801
Thermal conductivity of insulation materials, apparatus for, 2985
Thermal conductivity of polytetrafluoroethylene, 3567
Thermal expansion, and filler characteristics and bulk moduli, relationship between, 2143
Thermal expansion coefficient of polytetrafluoroethylene near its glass transition, 421
Thermal exposure, effects of, on the physicochemical properties of polyamides, 2855
Thermally degraded polystyrene, osmotic behavior of, 4025
Thermal oxidation, uncatalyzed, of atactic polybutene-1 by infrared spectroscopy, kinetics of, 3557
Thermal polymerization of shellac, kinetics of, 3263, 3273
Thermal stability of coordination polymers, 3745
Thermogravimetric and elemental composition studies of char formation, 2799
Thermogravimetric traces, kinetic parameters from, 3033
Thermo-oxidative degradation of phenol-formaldehyde polycondensates, 2799
Thermoplastic blends of poly(vinyl chloride) with acrylonitrile–butadiene copolymer rubber, 2047
Thermoplasticity of acetylated cotton yarn as influenced by degree of substitution and temperature, 1533
Thermoplastic recording, surface tension and viscosity studies of molten resins for, 1593
Theta solvent, sedimentation analysis of 1,4-*cis*-polybutadiene in, 2549
Tin catalyzed reactions of phenyl isocyanate with ureas, 1713
Transient techniques for determining the conductivity of homogeneous polymeric materials at elevated temperatures, 801

Transition metal–Schiff base coordination polymers, 2321
Transport properties of cellulose acetate osmotic membranes, 1341
Trioxane, radiation-induced solid-state polymerization of, variables in, 3681
Ultrasonic irradiation, polymerization of methyl methacrylate under, 3171
Ultraviolet-induced crosslinking of poly(vinyl alcohol) in the presence of sensitizers, 3217
Ultraviolet stabilizing monomers and polymers, 903
Ultraviolet studies of cellulose xanthate, use of thin films in, 1041
Unfractionated polymers, 757
Unsaturated polyesters, endgroup modification of, effect on chemical resistance, 1681
Unsaturation, effect of, on curing of ethylene–propylene rubber terpolymers with dimethacrylate monomers, 1579
Ureas, kinetics of the tin-catalyzed reactions of phenyl isocyanate with, 1713
Urethane foams, rigid, thermal characteristics of, 3851
Varnishes, phenolic resins in air dried films of, 2785
Vinyl acetate–ethylene copolymers, crystallinity of, 3153
Vinylcarbazole, effect of impurities on the polymerization of, by azobisisobutyronitrile, 3939
Vinyl chloride, copolymerization with *trans*-1,2-dichloroethylene, 1669
Vinyl monomers in wool fibers, graft polymerization of, 3465
β-Vinylnaphthalene and ethylene oxide, polyblends of, 1385
Vinyl polymers, propagation of, on clay surfaces, 1641
Viscoelastic behavior of polycarbonate of bisphenol A, 447
Viscoelasticity, experimental, mechanical shear relaxation spectroscopy in, 2209
Viscoelastic properties, effect of heat setting on, of nylon 6, 69
Viscometer, multispeed Mooney shearing disk, rheological analysis of raw elastomers with, 1929
Viscosity, effect on, of heat setting process on nylon 6, 25
  intrinsic, of deformable polymer molecules, limiting shear dependence of, 2607
  molecular weight determinations from, 583
  single-point determination of, 1547
  polymers used to increase, 535
  processing of poly(vinyl chloride) polymers correlated with, 3359
Viscosity–molecular weight relationship for natural rubber, 495
Viscosity of molten resins for thermoplastic recording, 1593
Viscosity of polyisoprene, 2911
Viscous effects, separation from elastic effects, in polymer melt extrusion, 887
Volatilization of stabilizers and oxidation products on polypropylene lifetimes, effect of, 3837
Vulcanizate properties, correlation of, with polymer–black interaction, 2749
Vulcanizates, natural rubber, oxidative stress relaxation of, at high strain, 3101
  peroxide, of natural rubber and *cis*-1,4-polyisoprene, 1571
  polybutadiene rubber, effective sulfur crosslinking in, 3041
  rubber, stress softening in, 2993, 3011
  silicone rubber, network characterization of, 3049
Vulcanization, estimation of chain scission during, 3255
  peroxide, of natural rubber, temperature effects in, 3255
  unaccelerated, sulfur group analysis in, of natural rubber, 1395
Water, evolution of, during curing, 3273
  permeation of, through some hydrogels, 3417
  variable retention of, by dry wood, 2345
Water–formaldehyde–hydrogen sulfide system, 2895
Weathering, laboratory, of polypropylene monofilaments, effect of mounting technique on, 2511
Wood, dry, variable retention of water by, 2345
Wool fibers, graft polymerization of vinyl monomers in, 3465
Xanthate groups, primary and secondary, in cellulose xanthate, 2489
X-ray diffraction, effect on, of heat setting processes on nylon 6, 39
X-ray scattering, small-angle, of cellulose, 3427, 3439
Young's modulus, effect on, of heat setting processes on nylon 6, 3
Ziegler polyethylenes, effects of small doses of radiation on the flow and other properties of, 2763